VOLUME 56 • AUTHOR INDEX

Aalbers R *see* van der Woude HJ *et al*
Aberg N *see* Edwards A *et al*
Acosta C *see* Sunyer J *et al*
Adams JE *see* Haworth CS *et al*
Adams L *see* Booth S and Adams L
see Doffman S *et al*
Adams RJ *et al*. Patient preferences for autonomy in decision making in asthma management, **126**
Ädelroth E *see* Erjefält JS *et al*
Aebischer ML *see* Corbo GM *et al*
Agabiti N *see* Corbo GM *et al*
Agrafioti C *see* Payne DNR *et al*
Agustí AGN *see* Noguera A *et al*
Agustí C *see* Murray P *et al*
see Rañó A *et al*
Ahmad D *et al*. Obesity and lung function: *letter*, **740**
Aitken ML *see* Henig NR *et al*
Akçakaya N *see* Çokuğraş H *et al*
Aksoy F *see* Çokuğraş H *et al*
Allgar V *see* Popescu G *et al*
see Turkington PM *et al*
Alonso PL *see* Sunyer J *et al*
Al-Shahi R *see* White VLC *et al*
Ambrosino N *see* Clini E *et al*
see Confalonieri M *et al*
Amishima M *see* Kamachi A *et al*
Andersson BA *see* Qvarfordt I *et al*
Andersson M *see* Erjefält JS *et al*
Andi A *see* Cox G *et al*
Anees W *et al*. Reliability of PEF diaries: *letter*, **742**
Angrill J *see* Rañó A *et al*
Anker SD *see* Sharma R *et al*
Ansari S *see* Kiely DG *et al*
Antó JM *see* Sunyer J *et al*
Anthonisen NR *see* Joos L *et al*
Anthracopoulos M *et al*. Prevalence of asthma among schoolchildren in Patras, Greece: three surveys over 20 years, **569**
Antman N *see* Khalil N *et al*
Anyanwu AC *et al*. Assessment of quality of life in lung transplantation using a simple generic tool, **218**
Aponte JJ *see* Sunyer J *et al*
Aries SP *see* Möllers M *et al*
Ashida K *see* Mitsunobu F *et al*
Aubier M *see* Tattersfield AE *et al*
Aylin P *et al*. Proximity to coke works and hospital admissions for respiratory and cardiovascular disease in England and Wales, **228**
Ayres JG *see* Chambers DC and Ayres JG
see Chambers DC and Ayres JG
Aziz I *see* Morice AH *et al*

Babiker A *see* Buchdahl RM *et al*
Bachmeyer C *et al*. *Mycobacterium xenopi* pulmonary infection in an HIV infected patient under highly active antiretroviral treatment, **978**
Badrinath P *see* Joseph J *et al*
Bailey MJ *see* Glare EM *et al*
Balint B *et al*. Increased nitric oxide metabolites in exhaled breath condensate after exposure to tobacco smoke, **456**
Baraldi E, Zanconato S. The labyrinth of asthma phenotypes and exhaled NO: *editorial*, **333**
Barber CM *et al*. Assisted discharge for patients with exacerbations of COPD: *letter*, **417**
Barbores M *see* Corless JA *et al*
Barchfeld T *see* Schönhofer B *et al*
Bargon J *see* Dauletbaev N *et al*
Barnes NC *see* Thomas M and Barnes NC
Barnes PJ *see* Balint B *et al*
see van Rensen ELJ *et al*
Barraclough RM, Gillies AJ. Pulmonary alveolar proteinosis: a complete response to GM-CSF therapy, **664**
Basran GS *see* Joseph J *et al*
Batle S *see* Noguera A *et al*
Battistini E *see* Silvestri M *et al*
Baudouin SV. Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**
Bayley D *see* Stockley RA *et al*
Bayley DL *see* Gompertz S *et al*
Beeh KM *et al*. Induced sputum cell profiles in lung transplant recipients with or without chronic rejection: correlation with lung function, **557**
Bell SC *see* Stallard K *et al*
Benchaa B *see* Bachmeyer C *et al*
Benito N *see* Rañó A *et al*
Berardi M *see* de Maria A *et al*
Bernardini R *see* Lombardi E *et al*
Bernsen R *et al*. Declining incidence of episodes of asthma: *letter*, **245**
Bernsen RMD *see* Edwards A *et al*
see Laszlo G *et al*
see Silverman M *et al*
Bhowmik A *see* Roland M *et al*
Bianchi L *see* Clini E *et al*
Billings C *see* Kwong GNM *et al*
Bilton D *see* Mahadeva R *et al*
Biraghi MG *see* Silvestri M *et al*
Bishop PW *see* Mogulkoc N *et al*
Black CM *see* Coker RK *et al*
Blauw GJ *see* Burggraaf J *et al*
Block LH *see* Petkov V *et al*
Blum L *see* Bachmeyer C *et al*
Bois RMD *see* Coker RK *et al*
Bolger AP *see* Sharma R *et al*
Book reviews Armstrong P, Wilson AG, Dee P, Hansell DM. Imaging of the diseases of the chest. 3rd edition, **418**
Branthwaite M. Law for doctors: principles and particalities, **503**
Naidich DP, Webb RW, Muller NL. Computed Tomography and Magnetic Resonance of the Thorax, **898**
Shneerson JM. Handbook of Sleep Medicine, **86**
Ward MP, Milledge JS, West JB. High Altitude Medicine and Physiology. 3rd Edition, **586**
Booker R *see* Weller T *et al*
Booth S *see* Doffman S *et al*
Booth S, Adams L. The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer, **146**
Boswell TCJ *see* Lim WS *et al*
Bottle A *see* Aylin P *et al*
Bouquet S *see* Goubault C *et al*
Bourke S *see* Oliver E *et al*
Brabin BJ *et al*. Prenatal risk factors of wheezing at the age of four years in Tanzania: *letter*, **897**
Bradshaw LM *see* Barber CM *et al*
Braillon P *see* Tattersfield AE *et al*
Brand P *see* Anees W *et al*
Brand PLP *see* Kamps AWA *et al*
Branthwaite MA. Ethical problems in respiratory care: the role of the law: *review*, **78**
Braun J *see* Kolling UK *et al*
see Möllers M *et al*
Brennan S *et al*. Directed neutrophil migration to IL-8 is increased in cystic fibrosis: a study of the effect of erythromycin, **62**
Brewster DH *see* Gregor A *et al*
Brinch L *see* Melsom T *et al*
British Thoracic Society BTS Winter Meeting 2001, Programme and abstracts, **iii1 (suppl III)**
Pulmonary rehabilitation, **827**
British Thoracic Society Bronchoscopy Guidelines Committee, Subcommittee of the Standards of Care Committee British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
British Thoracic Society/Society of Cardiothoracic Surgeons Guidelines on the selection of patients with lung cancer for surgery, **89**
British Thoracic Society Standards of Care Committee BTS guidelines for the management of community acquired pneumonia in adults, **iv1 (suppl IV)**
Statement on malignant mesothelioma in the United Kingdom, **250**
Britton J *see* Knox AJ and Britton J
see Knox AJ and Britton J
see Williamson A *et al*
Britton J, Knox A. Nottingham University and British American Tobacco: *editorial*, **249**
Brocklebank D, Wright J. CFC transition: *letter*, **740**
Brown L *see* Sivasothy P *et al*
Brown P *see* White VLC *et al*
Brunekreef B *see* de Meer G *et al*
Brunner C *see* Petkov V *et al*
Brutsche MH *see* Mogulkoc N *et al*
Buchdahl RM *et al*. Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
Buhl R *see* Beeh KM *et al*
see Dauletbaev N *et al*
Bungay HK *et al*. CT scanning in lung cancer: *letter*, **84**
Bunn HJ *et al*. Ultrafine particles in alveolar macrophages from normal children, **932**
Bureau F *see* Turlej RK *et al*
Burge PS *see* Anees W *et al*
Burggraaf J *et al*. Cardiovascular side effects of inhaled salbutamol in hypoxic asthmatic patients, **567**
Burke CM *see* Jahnsen FL *et al*
Burns JL *see* Henig NR *et al*
Burr ML *see* Griffiths TL *et al*

Bush A *see* Buchdahl RM *et al*
see Grasemann H *et al*
see Payne DNR *et al*
Busquets X *see* Noguera A *et al*
Buttery P *see* Barber CM *et al*
Buurman WA *see* Dentener MA *et al*

Caballero E *et al*. Anti-*Pseudomonas aeruginosa* antibody detection in patients with bronchiectasis without cystic fibrosis, **669**
Caceres DE *see* Penny ME *et al*
Cadranel J *see* Mayaud C and Cadranel J
Cairns J *see* Osman LM *et al*
Callaghan B *see* Edwards A *et al*
Calverley PMA *see* Dicpinigaitis PV and Calverley PMA
see Hadcroft J and Calverley PMA
Camcıoğlu Y *see* Çokuğraş H *et al*
Caminero JA *see* Garcia-Zamalloa AM *et al*
Campbell EJ *see* Stockley RA *et al*
Campbell IA *see* Griffiths TL *et al*
Canonica GW *see* de Maria A *et al*
Car NG *see* Marks GB *et al*
Carr A *see* Clark M *et al*
Carson J *see* Zhao XJ *et al*
Chambers DC, Ayres JG. Effect of nebulised L- and D-arginine on exhaled nitric oxide in steroid naive asthma, **602**
Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
Chan HH *see* Wong GWK *et al*
Chan-Yeung M *see* Wong GWK *et al*
Cheung P-Y *et al*. Vibration during high frequency ventilation in neonates: *letter*, **817**
Cheung YB *et al*. Birth weight and adult lung function in China: *letter*, **85**
Chinn DJ *see* Cotes JE *et al*
Chinn S *see* Figueroa-Muñoz JI *et al*
Chinn S, Rona RJ. Can the increase in body mass index explain the rising trend in asthma in children?, **845**
Christensson B *see* Mund E *et al*
Chung KF *see* van Rensen ELJ *et al*
Clark M *et al*. A survey of nocturnal hypoxaemia and health related quality of life in patients with cryptogenic fibrosing alveolitis, **482**
Clark RA *see* Crombie IK *et al*
Clause D *see* Vanpee D *et al*
Clini E *et al*. Effect of pulmonary rehabilitation on exhaled nitric oxide in patients with chronic obstructive pulmonary disease, **519**
Coats AJS *see* Sharma R *et al*
Cochran DP *see* Ross S and Cochran DP
Coggon D *see* Dow L *et al*
Cohen AF *see* Burggraaf J *et al*
Coker RJ. National survey of detention and TB: *letter*, **818**
Coker RK *et al*. Localisation of transforming growth factor β_1 and β_3 mRNA transcripts in normal and fibrotic human lung, **549**
Çokuğraş H *et al*. Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma, **25**
Coleman T. Smoking cessation: integrating recent advances into clinical practice: *review*, **579**
Collins J *see* McKeever TM *et al*
Colquhoun JR *see* Marks GB *et al*
Colthorpe CL *see* Lim WS *et al*
Concutelli G *see* Lombardi E *et al*
Confalonieri M *et al*. Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
Connett JE *see* Joos L *et al*
Cooper B *see* Clark M *et al*
Cooper D *see* Brennan S *et al*
Cooper M *see* Clark M *et al*
Cooper S *see* Walsh LJ *et al*
Corbo GM *et al*. Effect of gas cooking on lung function in adolescents: modifying role of sex and immunoglobulin E, **536**
Corey M. Modelling survival in cystic fibrosis: *editorial*, **743**
Corless JA *et al*. Occlusion of chest drain bottle air outlet: *letter*, **585**
Corrado A *see* Confalonieri M *et al*
Costello RW *see* Corless JA *et al*
Cotes JE *et al*. Body mass, fat percentage, and fat free mass as reference variables for lung function: effects on terms for age and sex, **839**
Cotton MM *see* Barber CM *et al*
Coughlan JL *et al*. Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review, **198**
Cox G *et al*. A biological staging model for operable non-small cell lung cancer, **561**
Cramer D *see* Buchdahl RM *et al*
Cranshaw JH *et al*. Intramural neurofibroma of the trachea treated by multiple stents, **583**
Créminon C *see* Redington AE *et al*
Creutzberg EC *see* Dentener MA *et al*
Crombie IK *et al*. Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**
Crooks S *see* Stockley RA *et al*
Cross KW *see* Bernsen R *et al*
Csernok E *see* Lamprecht P *et al*

Dakin J, Evans TW. Progress in ARDS research: a protection racket?: *editorial*, **2**
Dalhoff K *see* Kolling UK *et al*
see Möllers M *et al*
Danés C *see* Rañó A *et al*
Danielsson A *see* Pehrsson K *et al*
Daniil Z *see* Zakynthinos E *et al*
Danne O *see* Bachmeyer C *et al*
Darbyshire JH *see* Rose AMC *et al*
Das C *see* Kwong GNM *et al*
Dasgupta B *see* Hawkins P *et al*
Dauletbaev N *et al*. Glutathione in induced sputum of healthy individuals and patients with asthma, **13**
Davey WA *see* Kiely DG *et al*
Davidson J *see* Gregor A *et al*
Davies DH *see* Rimington LD *et al*
Davies PDO, Grange JM. Factors affecting susceptibility and resistance to tuberculosis, **ii23 (suppl II)**
Davies PDO *et al*. TB at the end of the 20th century: *letter*, **897**
Davies RJO *see* Bungay HK *et al*
see Stradling JR *et al*
Davies S *see* Griffiths TL *et al*
Davis M *see* Whittle AT *et al*
Davison AG *see* Hawkins P *et al*
see White VLC *et al*
Dawkins PA, Stockley RA. Animal models of chronic obstructive pulmonary disease: *review*, **972**
Dawson JK *et al*. Fibrosing alveolitis in patients with rheumatoid arthritis as assessed by high resolution computed tomography, chest radiography, and pulmonary function tests, **622**
Debertin AS *see* Paulsen FP *et al*
see Tschernig T *et al*
de Jongste JC *see* Edwards A *et al*
see Jöbsis Q *et al*
see Laszlo G *et al*
see Silverman M *et al*
Delaunois L *see* Vanpee D *et al*
Dell'orco V *see* Corbo GM *et al*
de Maria A *et al*. Side effects of antituberculous treatment: *letter*, **983**
de Meer G *et al*. Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol, **362**
Demir AU *see* Karakaya G *et al*
Demoncheaux EAG *see* Elphick HE *et al*
Denjean A *see* Goubault C *et al*
Dentener MA *et al*. Systemic anti-inflammatory mediators in COPD: increase in soluble interleukin 1 receptor II during treatment of exacerbations, **721**
Desmond J *see* Dawson JK *et al*
Devereux G, Seaton A. Why don't we give chest patients dietary advice?, **ii15 (suppl II)**
Devin CJ *see* Lee YCG *et al*
Dezateux C *et al*. Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
Dicpinigaitis PV, Calverley PMA. Capsaicin responsiveness in asthma and COPD: *letter*, **162**
Dignetti P *see* de Maria A *et al*
Dinsdale D *see* Bunn HJ *et al*
Divjak M *see* Glare EM *et al*
Dockery D *see* von Mutius E *et al*
Dodd ME *see* Jones AM *et al*
Doehner W *see* Sharma R *et al*
Doffman S *et al*. Shuttle walking test: *letter*, **895**
Dogné S *see* Turlej RK *et al*
Dong Z *see* Zhao XJ *et al*
Donnelly LE *see* Balint B *et al*
Donoghue S *see* Corless JA *et al*
Douglas JG *see* Osman LM *et al*
Douglas NJ *see* McArdle N *et al*
Dow L *et al*. Prevalence of untreated asthma in a population sample of 6000 older adults in Bristol, UK, **472**
Downs SH *see* Marks GB *et al*
Drobnic M-E *see* Caballero E *et al*
Drobniewski F *see* Rose AMC *et al*
Drömann D *see* Möllers M *et al*
Duggan R *see* Kwong GNM *et al*
Dundas I *see* Dezateux C *et al*
Duthie DJR *see* Edwards JG *et al*

Eber E *see* Zach MS and Eber E
Eber E, Zach MS. Long term sequelae of bronchopulmonary dysplasia (chronic lung disease of infancy): *review*, **317**
Edenborough FP. Women with cystic fibrosis and their potential for reproduction: *review*, **649**
Edwards A *et al*. Sodium cromoglycate in childhood asthma: *letter*, **331**
Edwards JG *et al*. Lobar volume reduction surgery: a method of increasing the lung cancer resection rate in patients with emphysema, **791**
Egan JJ *see* Mogulkoc N *et al*
Eichler I *see* Renner S *et al*

Elliott MW *see* Plant PK *et al*
see Popescu G *et al*
see Turkington PM *et al*
Elliott P *see* Aylin P *et al*
Elmadfa I *see* Renner S *et al*
Elphick HE *et al*. Exhaled nitric oxide is reduced in infants with cystic fibrosis, **151**
Engleman HM *see* McArdle N *et al*
Erhola M *see* Haahtela T *et al*
Erjefält JS *et al*. Degranulation patterns of eosinophil granulocytes as determinants of eosinophil driven disease, **341**
Erkan F *et al*. Pulmonary manifestations of Behçet's disease: *review*, 572
Etches PC *see* Cheung P-Y *et al*
Evans TJ *see* Redington AE *et al*
Evans TW *see* Dakin J and Evans TW
Everard ML *see* Elphick HE *et al*
see Morice AH and Everard ML

Fabbri L, Melara R. Systemic effects of inhaled corticosteroids are milder in asthmatic patients than in normal subjects: *editorial*, **165**
Fabbri LM *see* Maestrelli P *et al*
Fawcett IW, Ibrahim NBN. BOOP associated with nitrofurantoin: *letter*, **161**
Fenig E *see* Kramer MR *et al*
Fergusson RJ *see* Gregor A *et al*
Ferrer A *see* Caballero E *et al*
Ferrera L *see* de Maria A *et al*
Fewins HE *see* Dawson JK *et al*
Field DJ *see* Mildner RJ *et al*
Field SK *et al*. Gastro-oesophageal reflux and asthma: *letter*, **898**
Fiévez L *see* Turlej RK *et al*
Figueroa-Muñoz JI *et al*. Association between obesity and asthma in 4–11 year old children in the UK, **133**
Findley LJ, Suratt PM. Serious motor vehicle crashes: the cost of untreated sleep apnoea: *editorial*, **505**
Firmin RK *see* Mildner RJ *et al*
Fishwick D *see* Barber CM *et al*
Flack F *see* Sly PD and Flack F
Fleming DM *see* Bernsen R *et al*
see Seaton A and Fleming DM
see Weller T *et al*
Fletcher ME *see* Dezateux C *et al*
Florea ND *see* Sharma R *et al*
Florea VG *see* Sharma R *et al*
Foglio K *see* Clini E *et al*
Fok TF *see* Wong GWK *et al*
Foo SC *see* Ng TP *et al*
Forastiere F *see* Corbo GM *et al*
Fowler L *see* Dow L *et al*
Freeman R *et al*. Being positive about the smear: *letter*, **417**
Fregonese L *see* Silvestri M *et al*
Friend JAR *see* Osman LM *et al*
Friend JAR. Do smoking parents seek the best advice for their asthmatic children?: *editorial*, **1**
Frischer M *see* McKeever TM *et al*
Frischer T *see* Renner S *et al*
Frongia G *see* Lombardi E *et al*
Frossard PM *see* Safa WF *et al*
Fujino Y *see* Uramoto H *et al*
Fyfe K *see* Cheung P-Y *et al*

Galvin JR *see* Travis WD and Galvin JR
Gamble E *see* White VLC *et al*
Ganly PS *see* Whittle AT *et al*
Garcia-Zamalloa AM *et al*. Tuberculosis in Cuba: *letter*, **84**
Gard P *see* Macfarlane J *et al*
Garrod R *see* Ringbaek T *et al*
Geerligs WA *et al*. Multidrug resistant tuberculosis: *letter*, **980**
Genitsariotis R *see* Hohenadel IA *et al*
George CFP. Reduction in motor vehicle collisions following treatment of sleep apnoea with nasal CPAP, **508**
Gibson GJ. Sarcoidosis: old and new treatments: *editorial*, **336**
Gibson P *see* Field SK *et al*
Gibson PG *see* Coughlan JL *et al*
Gillies AJ *see* Barraclough RM and Gillies AJ
Girgis ST *see* Marks GB *et al*
Girling DJ *see* Muers MF and Girling DJ
Glare EM *et al*. The usefulness of competitive PCR: airway gene expression of IL-5, IL-4, IL-4δ2, IL-2, and IFNγ in asthma, **541**
Gleeson FV *see* Bungay HK *et al*
Godden DJ *see* Osman LM *et al*
Gold LI *see* Khalil N *et al*
Goldstraw P *see* Cranshaw JH *et al*
Gompertz S *et al*. Relationship between airway inflammation and the frequency of exacerbations in patients with smoking related COPD, **36**
González J *see* Rañó A *et al*
Gorini M *see* Confalonieri M *et al*
Gormley G *see* Steele K *et al*
Goubault C *et al*. Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**
Graham C *see* Rose AMC *et al*
Graham DR *see* Dawson JK *et al*
Grange JM *see* Davies PDO and Grange JM
Grasemann H *et al*. Different subgroups of difficult asthma in children: *letter*, **895**
Greaves MS *see* Mogulkoc N *et al*
Green RH *et al*. A randomised controlled trial of four weeks versus seven weeks of pulmonary rehabilitation in chronic obstructive pulmonary disease, **143**
Greening AP *see* Whittle AT *et al*
Gregor A *et al*. Management and survival of patients with lung cancer in Scotland diagnosed in 1995: results of a national population based study, **212**
Greiff L *see* Erjefält JS *et al*
Griffiths TL *et al*. Cost effectiveness of an outpatient multidisciplinary pulmonary rehabilitation programme, **779**
Grigg J *see* Bunn HJ *et al*
Grime P, Ormerod P. BCG re-vaccination: *letter*, **741**
Grönneberg R *see* Mund E *et al*
Grootendorst AF *see* van der Klooster JM and Grootendorst AF
Gross WL *see* Lamprecht P *et al*
Gruat N *see* Bachmeyer C *et al*
Gul A *see* Erkan F *et al*
Gulsvik A *see* Steenhuis TJ *et al*
Gupta M *et al*. Function and inhibition sensitivity of the N-terminal segment of surfactant protein B (SP-B1-25) in preterm rabbits, **871**
Guyatt GH *see* Williams JEA *et al*

Haahtela T *et al*. Asthma programme in Finland: a community problem needs community solutions: *review*, **806**
Hablas H *see* Payne DNR *et al*
Haby MM *et al*. Asthma in preschool children: prevalence and risk factors, **589**
Hadcroft J, Calverley PMA. Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
Haggerty MC. COPD exacerbations: *letter*, **740**
Hall GL *et al*. Methacholine responsiveness in infants assessed with low frequency forced oscillation and forced expiration techniques, **42**
Hall R *see* Oliver E *et al*
Hamaoka T *see* Takiguchi Y *et al*
Hamasaki T *see* Matsuyama W *et al*
Hanazawa T *see* Balint B *et al*
Hannigan BM *see* Zhao XJ *et al*
Hansen EF *see* Vestbo J and Hansen EF
Hansen F *see* Kolling UK *et al*
Hansen P *see* Marks GB *et al*
Hantos Z *see* Hall GL *et al*
Harada S *see* Mitsunobu F *et al*
Harrison BDW, Scott DGI. Churg-Strauss syndrome: *letter*, **818**
Harrison T *see* Lipworth BJ *et al*
see Lipworth BJ *et al*
Harrison TG *see* Lim WS *et al*
Harrison TW *see* Tattersfield AE and Harrison TW
Harrison TW *et al*. Comparison of the systemic effects of fluticasone propionate and budesonide given by dry powder inhaler in healthy and asthmatic subjects, **186**
Haslett C *see* Whittle AT *et al*
Hawkins P *see* Doffman S *et al*
Hawkins P *et al*. Diaphragm strength in acute systemic lupus erythematosus in a patient with paradoxical abdominal motion and reduced lung volumes, **329**
Haworth CS *et al*. Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**
Heatlie H *see* McKeever TM *et al*
Heederik DJJ *see* de Meer G *et al*
Helenius H *see* Kilpeläinen M *et al*
Helms PJ *see* Laszlo G *et al*
Henderson JH *et al*. Continuous venovenous haemofiltration for the treatment of theophylline toxicity, **242**
Henein MY *see* Sharma R *et al*
Henig NR *et al*. Sputum induction as a research tool for sampling the airways of subjects with cystic fibrosis, **306**
Henry RL *see* Coughlan JL *et al*
Hernandez-Juviel JM *see* Gupta M *et al*
Herrera TS *see* Penny ME *et al*
Hessen JO *see* Melsom T *et al*
Higenbottam TW *see* Barber CM *et al*
see Elphick HE *et al*
Higgins B *see* Oliver E *et al*
Higgins CA *see* Zhao XJ *et al*
Hill AT *see* Stockley RA *et al*
Hill SL *see* Gompertz S *et al*
see Stockley RA *et al*
see Woolhouse IS *et al*
Hilton PJ *see* Henderson JH *et al*
Hiroshima K *see* Takiguchi Y *et al*
Hodson ME *see* Sharma R *et al*
Hoekstra MO *see* Steenhuis TJ *et al*
Hogan T *see* Jahnsen FL *et al*

Hohenadel IA *et al.* Role of bronchoalveolar lavage in immunocompromised patients with pneumonia treated with a broad spectrum antibiotic and antifungal regimen, **115**
Høiby N. Antibodies against *Pseudomonas aeruginosa* in patients with bronchiectasis: helpful or harmful?: *editorial*, **667**
Holberg CJ *see* Wright AL *et al*
Holgate S *see* Edwards A *et al*
Holgate ST *see* Dow L *et al*
see Redington AE *et al*
Holmes W *see* Macfarlane J *et al*
Holt PG *see* Jahnsen FL *et al*
Holt PG. Dendritic cell ontogeny as an aetiological factor in respiratory tract diseases in early life: *editorial*, **419**
Homma Y *see* Kamachi A *et al*
Honour J *see* Harrison TW *et al*
Hop WCJ *see* Jöbsis Q *et al*
Horrocks AW *see* Haworth CS *et al*
see Mogulkoc N *et al*
Hosaki Y *see* Mitsunobu F *et al*
Hosker HSR *see* Lipworth BJ *et al*
see Wechsler M *et al*
Hosking L, Thickett D. British Thoracic Society Winter Meeting 2000: *review*, **412**
Howarth PH *see* Redington AE *et al*
Howell J *see* Edwards A *et al*
Hubbard R *see* Clark M *et al*
see McKeever TM *et al*
see Walsh LJ *et al*
Huggins V *see* Anees W *et al*
Hui DSC *see* Wong GWK *et al*
Huibers MJH *see* Wagena EJ *et al*
Huovinen E *et al.* Social predictors of adult asthma: a co-twin case-control study, **234**
Hutton J *see* Oliver E *et al*

Ibrahim NBN *see* Fawcett IW and Ibrahim NBN
Iglesias J *see* Noguera A *et al*
Iikura Y *see* Edwards A *et al*
Imoto H *see* Uramoto H *et al*
Innes JA *see* Robson AG and Innes JA
Innocenti DM. Hyperventilation syndrome: *letter*, **740**
Ip M *see* Cheung YB *et al*
Irvine L *see* Crombie IK *et al*
Iwami F *see* Matsuyama W *et al*

Jacobsen BK *see* Melsom T *et al*
Jahnsen FL *et al.* Rapid dendritic cell recruitment to the bronchial mucosa of patients with atopic asthma in response to local allergen challenge, **823**
James A *see* Payne DNR *et al*
Jarup L *see* Aylin P *et al*
Jarvis MJ. Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
Jeffery PK *see* Coker RK *et al*
see Erjefält JS *et al*
Jeffries DJ *see* Roland M *et al*
Jenkins CR *see* Reddel HK and Jenkins CR
Jentoft HF *see* Steenhuis TJ *et al*
Jimenez P *see* Rañó A *et al*
Jöbsis Q *et al.* Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
Johnell O *see* Tattersfield AE *et al*
Johnson MK *see* Barber CM *et al*
Jones AM *et al.* Acute rib fracture pain in CF: *letter*, **819**
Jones JL *see* Cox G *et al*
Jones PW. Health status measurement in chronic obstructive pulmonary disease: *review*, **880**
Joos L *et al.* Association of IL-1β and IL-1 receptor antagonist haplotypes with rate of decline in lung function in smokers, **863**
Joseph J *et al.* Is the pleural fluid transudate or exudate? A revisit of the diagnostic criteria, **867**

Kahigwa E *see* Sunyer J *et al*
Kaltsas P *see* Zakynthinos E *et al*
Kalyoncu AF *see* Karakaya G *et al*
Kamachi A *et al.* Enhancement of goblet cell hyperplasia and airway hyperresponsiveness by salbutamol in a rat model of atopic asthma, **19**
Kamamura Y *see* Takahashi K *et al*
Kamps A *see* Anees W *et al*
Kamps AWA *et al.* Peak flow diaries in childhood asthma are unreliable, **180**
Kaprio J *see* Huovinen E *et al*
Karakaya G *et al.* Paracetamol and asthma: *letter*, **586**
Karatza A *see* Anthracopoulos M *et al*
Karlberg JPE *see* Cheung YB *et al*
Karlström R *see* Tattersfield AE *et al*
Kastelik JA *see* Morice AH *et al*
Katakawa M *see* Takahashi K *et al*
Katus HA *see* Kolling UK *et al*
Katz A *see* Kramer MR *et al*
Kawabata M *see* Matsuyama W *et al*
Kawakami Y *see* Kamachi A *et al*
Kaye P, O'Sullivan I. BTS asthma guidelines: *letter*, **666**
Kepron W *see* Khalil N *et al*
Khalil N *et al.* Regulation of the effects of TGF-β1 by activation of latent TGF-β1 and differential expression of TGF-β receptors (TβR-I and TβR-II) in idiopathic pulmonary fibrosis, **907**
Kharitonov SA *see* Balint B *et al*
Kiebert G *see* Oliver E *et al*
Kiely DG *et al.* Bedside tracer gas technique accurately predicts outcome in aspiration of spontaneous pneumothorax, **617**
Killen J *see* Oliver E *et al*
Killer HM *see* Mildner RJ *et al*
Kilpeläinen M *et al.* Home dampness, current allergic diseases, and respiratory infections among young adults, **462**
Kimura H *see* Takiguchi Y *et al*
Kingshott R *see* McArdle N *et al*
Kinmonth AL *see* Dow L *et al*
Kips JC, Pauwels RA. Low dose inhaled corticosteroids and the prevention of death from asthma, **ii74 (suppl II)**
Kirschvink N *see* Turlej RK *et al*
Kiworr M *see* Hohenadel IA *et al*
Klaukka T *see* Haahtela T *et al*
Kleemann WJ *see* Paulsen FP *et al*
see Tschernig T *et al*
Kneussl M *see* Petkov V *et al*
Knowles G *see* Cranshaw JH *et al*
Knox A *see* Britton J and Knox A
see Williamson A *et al*
Knox AJ. Introduction: *review*, **324**
Knox AJ, Britton J. Annual Report October 2000 to September 2001: *editorial*, **901**
Journal impact factors for 2000: *Thorax* flying yet higher: *editorial*, **587**
Köhler D *see* Schönhofer B *et al*
Kolbe J *see* Saçkesen C *et al*
Kolling UK *et al.* Leucocyte response and anti-inflammatory cytokines in community acquired pneumonia, **121**
Kolstrup N *see* Melsom T *et al*
König P *see* Edwards A *et al*
Kornmann O *see* Beeh KM *et al*
Koskela K *see* Haahtela T *et al*
Koskenvuo M *see* Huovinen E *et al*
see Kilpeläinen M *et al*
Koski MH *see* Marks GB *et al*
Kotecha S *see* Mildner RJ *et al*
Kramer MR *et al.* Successful use of high dose rate brachytherapy for non-malignant bronchial obstruction, **415**
Kubota R *see* Matsuyama W *et al*
Kuriyama T *see* Takiguchi Y *et al*
Kwong GNM *et al.* Increasing prevalence of asthma diagnosis and symptoms in children is confined to mild symptoms, **312**

Lai CKW *see* Wong GWK *et al*
Laitinen LA *see* Huovinen E *et al*
Laking G, Price P. 18-Fluorodeoxyglucose positron emission tomography (FDG-PET) and the staging of early lung cancer, **ii38 (suppl II)**
Lamprecht P *et al.* CD28 negative T cells are enriched in granulomatous lesions of the respiratory tract in Wegener's granulomatosis, **751**
Lanata CF *see* Penny ME *et al*
Lancaster T *see* Munafò M *et al*
Lane KB *see* Lee YCG *et al*
Lange P *et al.* Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population, **613**
Larsson K *see* Mund E *et al*
Larsson S *see* Qvarfordt I *et al*
Laszlo G *et al.* Time to consign cromoglycate to history?: *letter*, **502**
Latham M *see* Popescu G *et al*
Laurent GJ *see* Coker RK *et al*
Leach RM *see* Henderson JH *et al*
Lee YCG *et al.* Transforming growth factor β_2 induced pleurodesis is not inhibited by corticosteroids, **643**
Leeder SR *see* Haby MM *et al*
Legge JS *see* Osman LM *et al*
Legros P *see* Goubault C *et al*
Lehr S *see* Renner S *et al*
Leinonen M *see* Lim WS *et al*
see Macfarlane J *et al*
Lekeux P *see* Turlej RK *et al*
Leleu E *see* Goubault C *et al*
Lestringant GG *see* Safa WF *et al*
Levy RD *see* Stephenson AL *et al*
Lewis SA *see* McKeever TM *et al*
see Walsh LJ *et al*
Li X *see* Wilson JW and Li X
Light RW *see* Lee YCG *et al*
Lill J *see* Beeh KM *et al*
Lim WS *et al.* Pneumonia and pregnancy: *review*, **398**

Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines, **296**
Liolios E *see* Anthracopoulos M *et al*
Lipworth BJ. Revisiting interactions between hypoxaemia and β_2 agonists in asthma, **506**
Revisiting interactions between hypoxaemia and β_2 agonists in asthma: *editorial*, **506**
Lipworth BJ *et al.* Montelukast and Churg-Strauss syndrome: *letter*, **244**
Systemic effects of inhaled steroids: *letter*, **980**
Lomas DA *see* Mahadeva R *et al*
Lombardi E *et al.* Reference values of interrupter respiratory resistance in healthy preschool white children, **691**
Lorenz J *see* Hohenadel IA *et al*
Low L *see* Cheung YB *et al*
Lowe D *see* Rimington LD *et al*
Lynch MP *see* Dawson JK *et al*

McAnulty RJ *see* Coker RK *et al*
McArdle N *et al.* Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
McCullough C *see* Mogulkoc N *et al*
Macfarlane J *et al.* Prospective study of the incidence, aetiology and outcome of adult lower respiratory tract illness in the community, **109**
Macfarlane JT *see* Lim WS *et al*
see Lim WS *et al*
Macfarlane R *see* Macfarlane J *et al*
McGuire A *see* Anyanwu AC *et al*
McIntyre L *see* Joos L *et al*
Mackay TW *see* McArdle N *et al*
McKeever TM *et al.* Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**
McKendrick MW *see* Mohsen AH *et al*
McKenzie CA *see* Henderson JH *et al*
Mackenzie IRA *see* Stephenson AL *et al*
McKenzie L *see* Osman LM *et al*
McKenzie SA *see* Lipworth BJ *et al*
McKerr G *see* Zhao XJ *et al*
McLoone P *see* Morrison DS and McLoone P
Maclouf J *see* Redington AE *et al*
Macnee W *see* Barber CM *et al*
MacNee W *see* Noguera A *et al*
Madrid SS *see* Penny ME *et al*
Maestrelli P *et al.* Analysis of sputum in COPD: *editorial*, **420**
Magee JG *see* Freeman R *et al*
Mahadeva R *et al.* Association of α_1-antichymotrypsin deficiency with milder lung disease in patients with cystic fibrosis, **53**
Mahadevan V *see* Kiely DG *et al*
Malagari E *see* Zakynthinos E *et al*
Malmberg LP *et al.* Hyperventilation syndrome: *letter*, **85**
Maniscalco M *see* Sofia M and Maniscalco M
Manresa J-M *see* Caballero E *et al*
Mantovani A *see* Dentener MA *et al*
Marks GB *see* Haby MM *et al*
see Peat JK *et al*
Marks GB *et al.* Thunderstorm outflows preceding epidemics of asthma during spring and summer, **468**
Marrero A *see* Garcia-Zamalloa AM *et al*
Martinez FD *see* Wright AL *et al*
Mascher B *see* Möllers M *et al*
Mason Z *see* Mohsen AH *et al*
Matsuyama W *et al.* Enhanced inhibition of lymphocyte activation by *Mycobacterium avium* complex in human T lymphotrophic virus type I carriers, **394**
Mattock L *see* Mohsen AH *et al*
Mawer EB *see* Haworth CS *et al*
Mayaud C, Cadranel J. AIDS and the lung in a changing world: *editorial*, **423**
Meghjee SPL, White JS. Montelukast and Churg-Strauss syndrome: *letter*, **244**
Melara R *see* Fabbri L and Melara R
Mellis CM *see* Peat JK *et al*
Melsom T *et al.* Asthma and indoor environment in Nepal, **477**
Mendendez C *see* Sunyer J *et al*
Menéndez C *see* Brabin BJ *et al*
Meng Q-H *see* Redington AE *et al*
Mifune T *see* Mitsunobu F *et al*
Mildner RJ *et al.* Repeatability of cellular constituents and cytokine concentration in fluid obtained by non-bronchoscopic bronchoalveolar lavage of infants receiving extracorporeal oxygenation, **924**
Milroy R *see* Gregor A *et al*
Miralles C *see* Noguera A *et al*
Mitchell DM *et al.* Introduction , **ii1 (suppl II)**
Mitsunobu F *et al.* Influence of age and disease severity on high resolution CT lung densitometry in asthma, **851**
Mizoguchi A *see* Matsuyama W *et al*
Mogulkoc N *et al.* Pulmonary ^{99m}Tc-DTPA aerosol clearance and survival in usual interstitial pneumonia (UIP), **916**
Mohsen AH *et al.* Lung function tests and risk factors for pneumonia in adults with chickenpox, **796**
Möllers M *et al.* Intracellular cytokine repertoire in different T cell subsets from patients with sarcoidosis, **487**
Mollica C *see* Confalonieri M *et al*
Moloney ED *see* Jahnsen FL *et al*
Monden Y *see* Takahashi K *et al*
Moosig F *see* Lamprecht P *et al*
Moreno A *see* Rañó A *et al*
Moretti M *see* Maestrelli P *et al*
Morgan C *see* Cranshaw JH *et al*
Morgan MDL *see* Green RH *et al*
see Steiner MC and Morgan MDL
see Williams JEA *et al*
Morgan WKC *see* Ahmad D *et al*
Morice AH, Everard ML. CFC transition: *letter*, **501**
Morice AH *et al.* Montelukast sodium in cystic fibrosis: *letter*, **244**
Morrell NW *see* Rudarakanchana N *et al*
Morrison DS, McLoone P. Changing patterns of hospital admission for asthma, 1981–97, **687**
Mosgoeller W *see* Petkov V *et al*
Motoori K *see* Takiguchi Y *et al*
Moxham J *see* Hawkins P *et al*
Mueller A *see* Lamprecht P *et al*
Muers MF, Girling DJ. Malignant mesothelioma: *letter*, **417**
Munafò M *et al.* Interventions for smoking cessation in hospitalised patients: a systematic review: *review*, **656**
Munakata M *see* Kamachi A *et al*
Mund E *et al.* Sex dependent differences in physiological ageing in the immune system of lower airways in healthy non-smoking volunteers: study of lymphocyte subsets in bronchoalveolar lavage fluid and blood, **450**
Murad S *see* Penny ME *et al*
Murby B *see* Mogulkoc N *et al*
Murday AJ *see* Anyanwu AC *et al*
Murphy M *see* Munafò M *et al*
Murray P *et al.* Pulmonary infiltrates in non-HIV patients: *letter*, **981**
Myint S *see* Macfarlane J *et al*

Nachemson A *see* Pehrsson K *et al*
Nagai K *see* Nakahara R *et al*
Nakahara R *et al.* Atypical adenomatous hyperplasia of the lung: a clinicopathological study of 118 cases including cases with multiple atypical adenomatous hyperplasia, **302**
Nakanishi R *see* Uramoto H *et al*
Nasuhara Y *see* Kamachi A *et al*
Nava S *see* Vanpee D *et al*
Neas LM *see* von Mutius E *et al*
Nelson-Piercy C. Asthma in pregnancy: *review*, **325**
Ng TP *et al.* Nitrogen dioxide exposure from domestic gas cooking and airway response in asthmatic women, **596**
Nicholson AG *see* Cranshaw JH *et al*
Nishimura M *see* Kamachi A *et al*
Nishiwaki Y *see* Nakahara R *et al*
Nissinen A *see* Pelkonen M *et al*
Noguera A *et al.* Enhanced neutrophil response in chronic obstructive pulmonary disease, **432**
Notkola I-L *see* Pelkonen M *et al*
Novembre E *see* Lombardi E *et al*
Nunn AJ *see* Rose AMC *et al*

Oberle D *et al.* Asthma and breast feeding: *letter*, **896**
Oborne J *see* Walsh LJ *et al*
O'Brien M *see* Murray P *et al*
O'Byrne KJ *see* Cox G *et al*
Ochiai A *see* Nakahara R *et al*
O'Connor R *see* Khalil N *et al*
Ohtsuka Y *see* Kamachi A *et al*
Okada O *see* Takiguchi Y *et al*
Okamoto M *see* Mitsunobu F *et al*
Oliver E *et al.* Treatment pathways, resource use and costs in the management of small cell lung cancer, **785**
Omenaas E *see* Steenhuis TJ *et al*
Ormerod LP *see* Rose AMC *et al*
Ormerod P *see* Grime P and Ormerod P
Ormerod P. A step forward in the evidence-based treatment of opportunist mycobacteria: *editorial*, **163**
Tuberculosis in pregnancy and the puerperium: *review*, **494**
Orriols R *see* Caballero E *et al*
Osaki T *see* Uramoto H *et al*
Osame M *see* Matsuyama W *et al*
Osman LM *et al.* Patient weighting of importance of asthma symptoms, **138**
Osuhor PC. BTS guidelines on TB: *letter*, **585**
O'Sullivan I *see* Kaye P and O'Sullivan I
Owen JL *see* Plant PK *et al*
Oyama T *see* Uramoto H *et al*

Pabst R *see* Paulsen FP *et al*
see Tschernig T *et al*

Pandey MR *see* Melsom T *et al*
Pang L. COX-2 expression in asthmatic airways: the story so far: *editorial*, **335**
Parekh TV *see* Khalil N *et al*
Paré PD *see* Joos L *et al*
Parner J *see* Lange P *et al*
Partridge MR. The profile of respiratory conditions: why government action is necessary: *editorial*, **744**
Paschen B *see* Oliver E *et al*
Paulsen F *see* Tschernig T *et al*
Paulsen FP *et al.* Similarities and differences in lectin cytochemistry of laryngeal and tracheal epithelium and subepithelial seromucous glands in cases of sudden infant death and controls, **223**
Pauwels RA *see* Kips JC and Pauwels RA
Payne D *see* Grasemann H *et al*
Payne DNR *et al.* Evidence for different subgroups of difficult asthma in children, **345**
Pearson MG *see* Corless JA *et al*
see Rimington LD *et al*
Peat JK *see* Haby MM *et al*
see Schachter LM *et al*
Peat JK *et al.* Continuing the debate about measuring asthma in population studies: *review*, **406**
Peck RJ *see* Mohsen AH *et al*
Pehrsson K *et al.* Pulmonary function in adolescent idiopathic scoliosis: a 25 year follow up after surgery or start of brace treatment, **388**
Pelkonen M *et al.* Smoking cessation, decline in pulmonary function and total mortality: a 30 year follow up study among the Finnish cohorts of the Seven Countries Study, **703**
Penny ME *et al.* Respiratory symptoms, asthma, exercise test spirometry, and atopy in schoolchildren from a Lima shanty town, **607**
Pepperell JCT *see* Stradling JR *et al*
Perault M-C *see* Goubault C *et al*
Pérez M-T *see* Caballero E *et al*
Persson CGA *see* Erjefält JS *et al*
Perucci CA *see* Corbo GM *et al*
Peták F *see* Hall GL *et al*
Petkov V *et al.* Aerosolised iloprost improves pulmonary haemodynamics in patients with primary pulmonary hypertension receiving continuous epoprostenol treatment, **734**
Phelps L *see* Dow L *et al*
Phillips CJ *see* Griffiths TL *et al*
Picado C *see* Tattersfield AE *et al*
Pier MV *see* Henig NR *et al*
Piñeiro A *see* Penny ME *et al*
Pistelli R *see* Corbo GM *et al*
Plant PK *et al.* Non-invasive ventilation in acute exacerbations of chronic obstructive pulmonary disease: long term survival and predictors of in-hospital outcome, **708**
Platts-Mills TAE *see* Sporik R and Platts-Mills TAE
Polak JM *see* Redington AE *et al*
Popescu G *et al.* Continuous positive airway pressure for sleep apnoea/hypopnoea syndrome: usefulness of a 2 week trial to identify factors associated with long term use, **727**
Porta R *see* Clini E *et al*
Porter-Jones G. "Opportunist" mycobacterial infection: *letter*, **84**
Postma DS *see* de Meer G *et al*
Powell CVE *see* Kwong GNM *et al*
Prescott E *see* Lange P *et al*
Prescott M *see* Mogulkoc N *et al*
Price P *see* Laking G and Price P
Pride NB. Smoking cessation: effects on symptoms, spirometry and future trends in COPD, **ii7 (suppl II)**
Priftis K *see* Anthracopoulos M *et al*
Primhak R *see* Kwong GNM *et al*
Pringle M *see* Walsh LJ *et al*
Proctor A *see* Kwong GNM *et al*
Public Health Laboratory Service/British Thoracic Society/Department of Health Collaborative Group *see* Rose AMC *et al*
Pumarola T *see* Rañó A *et al*

Qvarfordt I *et al.* IgG subclasses in smokers with chronic bronchitis and recurrent exacerbations, **445**

Raatgeep HC *see* Jöbsis Q *et al*
Raderer M *see* Petkov V *et al*
Rañó A *et al.* Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
Raño A *see* Murray P *et al*
Rath R *see* Renner S *et al*
Ratjen F *see* Grasemann H *et al*
Rayner AB *see* Freeman R *et al*
Reddel HK, Jenkins CR. Sodium cromoglycate in asthma: *letter*, **896**
Redington AE *et al.* Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
Reed JW *see* Cotes JE *et al*
Reinhardt D *see* Edwards A *et al*
Renner S *et al.* Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
Research Committee of the British Thoracic Society. First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
Richeldi L *see* Maestrelli P *et al*
Rickmann J *see* Dauletbaev N *et al*
Rigotti N *see* Munafò M *et al*
Riise GC *see* Qvarfordt I *et al*
Rimington LD *et al.* Relationship between anxiety, depression, and morbidity in adult asthma patients, **266**
Ringbaek T *et al.* Supplemental oxygen in COPD: *letter*, **86**
Rink L *see* Kolling UK *et al*
Ritson S *see* Elphick HE *et al*
Rizwan S *see* Brabin BJ *et al*
Road J *see* Stephenson AL *et al*
Robertson CMT *see* Cheung P-Y *et al*
Robinson P *see* Smyth A *et al*
Robinson P. Cystic fibrosis: *review*, **237**
Robson AG, Innes JA. Short term variability of single breath carbon monoxide transfer factor, **358**
Rogers CA *see* Anyanwu AC *et al*
Rogers JT *see* Lee YCG *et al*
Roland M *et al.* Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**
Rona RJ *see* Chinn S and Rona RJ
see Figueroa-Muñoz JI *et al*
Roorda RJ *see* Anees W *et al*
see Kamps AWA *et al*
Rose AMC *see* Davies PDO *et al*
Rose AMC *et al.* Tuberculosis at the end of the 20th century in England and Wales: results of a national survey in 1998, **173**
Rose D *see* Lim WS *et al*
see Macfarlane J *et al*
Ross S, Cochran DP. Method for manipulating peak flow measurements producing falsely raised readings, **500**
Rossi GA *see* Silvestri M *et al*
Ross-Russell RI *see* Mahadeva R *et al*
Roussos C *see* Zakynthinos E *et al*
Rovira M *see* Rañó A *et al*
Rowell NP, Williams CJ. Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable): a systematic review, **628**
Ruan J *see* Joos L *et al*
Rudarakanchana N *et al.* New insights into the pathogenesis and treatment of primary pulmonary hypertension: *review*, **888**
Ruffin RE *see* Adams RJ *et al*
Rust P *see* Renner S *et al*

Sabatini F *see* Silvestri M *et al*
Saçkesen C *et al.* Severe life threatening asthma: *letter*, **897**
Safa WF *et al.* X-linked dyskeratosis congenita: restrictive pulmonary disease and a novel mutation, **891**
Sahn SA *see* Joseph J *et al*
Saikku P *see* Lim WS *et al*
see Macfarlane J *et al*
Saito S *see* Takahashi K *et al*
Salome CM *see* Schachter LM *et al*
Salvato G. Quantitative and morphological analysis of the vascular bed in bronchial biopsy specimens from asthmatic and non-asthmatic subjects, **902**
Sandersen CF *see* Turlej RK *et al*
Sandford AJ *see* Joos L *et al*
Sapsford RJ *see* Roland M *et al*
Sarımurat N *see* Çokuğraş H *et al*
Satoh H *et al.* Lung cancer survival: *letter*, **742**
Schachter L *see* Ahmad D *et al*
Schachter LM *et al.* Obesity is a risk for asthma and wheeze but not airway hyperresponsiveness, **4**
Scheerens J *see* van Rensen ELJ *et al*
Schei MA *see* Melsom T *et al*
Schellenberg D *see* Sunyer J *et al*
Schenk P *see* Petkov V *et al*
Schönhofer B *et al.* Long term effects of non-invasive mechanical ventilation on pulmonary haemodynamics in patients with chronic respiratory failure, **524**
Schifter D *see* Kramer MR *et al*
Schnabel A *see* Lamprecht P *et al*
Schoemaker RC *see* Burggraaf J *et al*
Schols AMWJ *see* Dentener MA *et al*
Schwartz J *see* von Mutius E *et al*
Scientific Group on Respiratory Intensive Care of the Italian Association of Hospital Pneumologists *see* Confalonieri M *et al*
Scott DGI *see* Harrison BDW and Scott DGI
Seale H *see* Stallard K *et al*

Seaton A *see* Devereux G and Seaton A
Seaton A, Fleming DM. Declining incidence of episodes of asthma: *letter*, **246**
Seaton D *see* Kiely DG *et al*
Seçkin İ *see* Çokuğraş H *et al*
Seemungal TAR *see* Roland M *et al*
Seet CSR *see* Ng TP *et al*
Seitzer U *see* Lamprecht P *et al*
Sekerel B *see* Saçkesen C *et al*
Sekizawa K *see* Satoh H *et al*
Selby PL *see* Haworth CS *et al*
see Jones AM *et al*
Sewell L *see* Williams JEA *et al*
Shaheen SO *see* Mitchell DM *et al*
Sharma R *et al*. Wasting as an independent predictor of mortality in patients with cystic fibrosis, **746**
Sharples L *see* Mahadeva R *et al*
Shneerson JM *see* Sivasothy P *et al*
Shovlin CL *see* Whittle AT *et al*
Silverman M *see* Wensley DC and Silverman M
Silverman M *et al*. Inhaled sodium cromoglycate: *letter*, **585**
Silvestri M *et al*. Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**
Singh S *see* Clark M *et al*
Singh SJ *see* Green RH *et al*
see Williams JEA *et al*
Sircar M *see* Turkington PM *et al*
Sivasothy P *et al*. Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
Slane PW *see* Crombie IK *et al*
Sly PD *see* Brennan S *et al*
see Hall GL *et al*
see Lombardi E *et al*
Sly PD, Flack F. Is home monitoring of lung function worthwhile for children with asthma?, **164**
Smith BJ *see* Adams RJ *et al*
Smith C *see* McKeever TM *et al*
Smith IE *see* Sivasothy P *et al*
Smith T *see* Bunn HJ *et al*
Smyth A *et al*. CF and antistaphylococcal prophylaxis: *letter*, **819**
Sofia M, Maniscalco M. Endothelin in acute exacerbations of COPD: *letter*, **819**
Sovijärvi ARA *see* Malmberg LP *et al*
Spallarossa D *see* Silvestri M *et al*
Sporik R, Platts-Mills TAE. Allergen exposure and the development of asthma, **ii58 (suppl II)**
Springall DR *see* Redington AE *et al*
Stallard K *et al*. Cost of physiotherapy in CF: *letter*, **980**
Staples K *see* van Rensen ELJ *et al*
Stead L *see* Munafò M *et al*
Steele K *et al*. Management of adult lower respiratory tract infection in primary care: *editorial*, **87**
Steenhuis TJ *et al*. Tuberculin reactivity: *letter*, **332**
Steiner MC, Morgan MDL. Enhancing physical performance in chronic obstructive pulmonary disease: *review*, **73**
Stelianides S *see* Bachmeyer C *et al*
Stenius-Aarniala B *see* Edwards A *et al*
Stephenson AL *et al*. Myositis associated graft-versus-host-disease presenting as respiratory muscle weakness, **82**
Sterk PJ *see* Burggraaf J *et al*
see van Rensen ELJ *et al*
Stevens M *see* Edwards A *et al*
Stevenson RD *see* Barber CM *et al*
Stiebellehner L *see* Petkov V *et al*
Stirling RG *see* van Rensen ELJ *et al*
Stockley RA *see* Dawkins PA and Stockley RA
see Gompertz S *et al*
see Woolhouse IS *et al*
Stockley RA *et al*. Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Stocks J *see* Dezateux C *et al*
Stradling JR *et al*. Sleep apnoea and hypertension: proof at last?, **ii45 (suppl II)**
Stroner PL *see* Gregor A *et al*
Subcommittee of the Standards of Care Committee of the British Thoracic Society *see* British Thoracic Society Bronchoscopy Guidelines Committee and Subcommittee of the Standards of Care Committee of the British Thoracic Society
Sunyer J *see* Brabin BJ *et al*
Sunyer J *et al*. Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Suratt PM *see* Findley LJ and Suratt PM
Sutherland LR *see* Field SK *et al*
Svanes C *see* Melsom T *et al*

Tait RC. Anticoagulation in patients with thromboembolic disease, **ii30 (suppl II)**
Takahashi K *et al*. Prognostic value of CD4+ lymphocytes in pleural cavity of patients with non-small cell lung cancer, **639**
Takahashi T *see* Kamachi A *et al*
Takata S *see* Mitsunobu F *et al*
Takenoyama M *see* Uramoto H *et al*
Takiguchi Y *et al*. Stable pulmonary capillary haemangiomatosis without symptomatic pulmonary hypertension, **815**
Tam CM *see* Wong GWK *et al*
Tamminen K *see* Malmberg LP *et al*
Tan WC *see* Ng TP *et al*
Tanizaki Y *see* Mitsunobu F *et al*
Tantisira KG, Weiss ST. Complex interactions in complex traits: obesity and asthma, **ii64 (suppl II)**
Tasali E *see* Erkan F *et al*
Tasche MJA *see* Edwards A *et al*
see Laszlo G *et al*
see Silverman M *et al*
Tattersfield A *see* Lipworth BJ *et al*
see Lipworth BJ *et al*
Tattersfield AE *see* Harrison TW *et al*
see Walsh LJ *et al*
Tattersfield AE, Harrison TW. Inhaled steroids for COPD?, **ii2 (suppl II)**
Tattersfield AE *et al*. Bone mineral density in subjects with mild asthma randomised to treatment with inhaled corticosteroids or non-corticosteroid treatment for two years, **272**
Taub NA *see* Mildner RJ *et al*
Taussig LM *see* Wright AL *et al*
Taylor GJ *see* Kiely DG *et al*
Teixeira LR *see* Lee YCG *et al*
Terho EO *see* Kilpeläinen M *et al*
Tervahauta M *see* Pelkonen M *et al*
Thickett D *see* Hosking L and Thickett D
Thomas M. Acute lower respiratory tract illness: *letter*, **896**
Thomas M, Barnes NC. Outcome measures in asthma: *letter*, **161**
Thompson PJ *see* Lee YCG *et al*
see Vally H and Thompson PJ
Thomson CS *see* Gregor A *et al*
Tillmann BN *see* Paulsen FP *et al*
Toelle BG *see* Peat JK *et al*
Tonelli MR *see* Henig NR *et al*
Torres A *see* Murray P *et al*
see Rañó A *et al*
Town GI *see* Tattersfield AE *et al*
Travis WD, Galvin JR. Non-neoplastic pulmonary lymphoid lesions: *review*, **964**
Treloar ABA *see* Marks GB *et al*
Trembath RC *see* Rudarakanchana N *et al*
Triantou K *see* Anthracopoulos M *et al*
Triga M *see* Anthracopoulos M *et al*
Tschernig T *see* Paulsen FP *et al*
Tschernig T *et al*. Dendritic cells in the mucosa of the human trachea are not regularly found in the first year of life, **427**
Tsugeno H *see* Mitsunobu F *et al*
Tuggey JM *see* Lipworth BJ *et al*
see Wechsler M *et al*
Tukiainen H *see* Pelkonen M *et al*
Tuomilehto J *see* Pelkonen M *et al*
Turkington PM *et al*. Relationship between obstructive sleep apnoea, driving simulator performance, and risk of road traffic accidents, **800**
Turlej RK *et al*. Enhanced survival of lung granulocytes in an animal model of asthma: evidence for a role of GM-CSF activated STAT5 signalling pathway, **696**

Uijen JHJM *see* Edwards A *et al*
see Laszlo G *et al*
see Silverman M *et al*
Ulrik CS *see* Lange P *et al*
Upham JW *see* Jahnsen FL *et al*
Uramoto H *et al*. Prediction of pulmonary complications after a lobectomy in patients with non-small cell lung cancer, **59**
Uruma T *see* Takiguchi Y *et al*

Valente S *see* Corbo GM *et al*
Vally H, Thompson PJ. Role of sulfite additives in wine induced asthma: single dose and cumulative dose studies, **763**
van Altena R *see* Geerligs WA *et al*
Vandel B *see* Goubault C *et al*
van der Klooster JM, Grootendorst AF. Severe bullous emphysema associated with cocaine smoking: *letter*, **982**
van der Werf TS *see* Geerligs WA *et al*
van der Woude HJ *et al*. Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
van der Wouden JC *see* Bernsen R *et al*
see Edwards A *et al*
see Laszlo G *et al*
see Silverman M *et al*
Vanpee D *et al*. Non-invasive mechanical ventilation: *letter*, **666**
van Rensen ELJ *et al*. Evidence for systemic rather than pulmonary effects of interleukin-5 administration in asthma, **935**
van Schayck CP *see* Wagena EJ *et al*

van Schayck CP. Good respiratory practice in primary care: *editorial*, **339**
Vassilakopoulos T *see* Zakynthinos E *et al*
Veen JCCMI *see* Burggraaf J *et al*
Veer CV *see* Dentener MA *et al*
Veneruso G *see* Lombardi E *et al*
Ventura PJ *see* Sunyer J *et al*
Vestbo J *see* Lange P *et al*
Vestbo J, Hansen EF. Airway hyperresponsiveness and COPD mortality, **ii11 (suppl II)**
Viassolo L *see* de Maria A *et al*
Vickar DB *see* Cheung P-Y *et al*
Viel K *see* Dauletbaev N *et al*
Vierucci A *see* Lombardi E *et al*
Vitacca M *see* Clini E *et al*
Vonbank K *see* Petkov V *et al*
von Kries R *see* Oberle D *et al*
von Mutius E *see* Oberle D *et al*
von Mutius E. Paediatric origins of adult lung disease: *review*, **153**
von Mutius E *et al*. Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III, **835**
Vyas JR *see* Mildner RJ *et al*

Wade AM *see* Dezateux C *et al*
Wagena EJ *et al*. Antidepressants in the treatment of patients with COPD: possible associations between smoking cigarettes, COPD and depression: *editorial*, **587**
Wagner T-O *see* Dauletbaev N *et al*
Wakefield J *see* Aylin P *et al*
Wakimoto J *see* Matsuyama W *et al*
Walker S *see* Weller T *et al*
Waller DA *see* Cox G *et al*
see Edwards JG *et al*
Walsh LJ *et al*. Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**
Walters EH *see* Glare EM *et al*
Walters S *see* Smyth A *et al*
Walther FJ *see* Gupta M *et al*
Waring AJ *see* Gupta M *et al*
Warner J *see* Edwards A *et al*
Warner TD *see* Roland M *et al*
Watanabe R *see* Takiguchi Y *et al*
Waters K *see* Dow L *et al*
Watson JM *see* Davies PDO *et al*
see Rose AMC *et al*
Watt B *see* Freeman R *et al*
Webb AK *see* Haworth CS *et al*
see Jones AM *et al*
see Mahadeva R *et al*
Webb AK. Flying and cystic fibrosis: getting there and back safely: *editorial*, **821**
Webb CH *see* Steele K *et al*
Wechsler M *et al*. Churg-Strauss syndrome with montelukast: *letter*, **417**
Wedzicha JA *see* Ringbaek T *et al*
see Roland M *et al*
Weinberg E *see* Edwards A *et al*
Weir TD *see* Joos L *et al*
Weiss ST *see* Tantisira KG and Weiss ST
see von Mutius E *et al*
Weller T *et al*. Declining incidence of episodes of asthma: *letter*, **246**
Wensley DC, Silverman M. The quality of home spirometry in school children with asthma, **183**
Wenzel M *see* Schönhofer B *et al*
Westendorp RGJ *see* Burggraaf J *et al*
Weston V *see* Macfarlane J *et al*
White JS *see* Meghjee SPL and White JS
White VLC *et al*. Transverse myelopathy and radiculomyelopathy associated with pulmonary atypical *Mycobacterium* infections, **158**
Whittle AT *et al*. Alveolar macrophage activity and the pulmonary complications of haematopoietic stem cell transplantation, **941**
Whyte MK *see* Barber CM *et al*
Whyte MKB *see* Kwong GNM *et al*
Wildhaber JH *see* Hall GL *et al*
Williams CJ *see* Rowell NP and Williams CJ
Williams J *see* Green RH *et al*
Williams JEA *et al*. Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR), **954**
Williamson A *et al*. Free access to *Thorax* for low income countries: *editorial*, **668**
Wilson AM *see* Lipworth BJ *et al*
Wilson JW, Li X. Vessels: new targets for asthma treatment: *editorial*, **899**
Wilson M *see* Mogulkoc N *et al*
Wilson NM *see* Payne DNR *et al*
Winter TH *see* van der Woude HJ *et al*
Wisniewski A *see* Harrison TW *et al*
Wong CA *see* Walsh LJ *et al*
Wong GWK *et al*. Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
Woodcock A. CFC transition: *letter*, **501**
Woodcock AA *see* Mitchell DM *et al*
Woolcock AJ *see* Haby MM *et al*
see Schachter LM *et al*
Woolhouse IS *et al*. Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
Wouters EFM *see* Dentener MA *et al*
Wright A *see* Crombie IK *et al*
Wright AL *et al*. Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**
Wright J *see* Brocklebank D and Wright J

Xu YD *see* Khalil N *et al*

Yach D. Tobacco control: from concern for the lung to global political action: *editorial*, **247**
Yamashita YT *see* Satoh H *et al*
Yang ZQ *see* Zhao XJ *et al*
Yarmolovsky A *see* Kramer MR *et al*
Yasumoto K *see* Uramoto H *et al*
Yehaulaeshet T *see* Khalil N *et al*
Yokose T *see* Nakahara R *et al*
Yoshimatsu T *see* Uramoto H *et al*

Zach MS *see* Eber E and Zach MS
Zach MS, Eber E. Adult outcome of congenital lower respiratory tract malformations: *review*, **65**
Zakynthinos E *et al*. Pulmonary hypertension, interstitial lung fibrosis, and lung iron deposition in thalassaemia major, **737**
Zakynthinos SG *see* Zakynthinos E *et al*
Zanconato S *see* Baraldi E and Zanconato S
Zeidler D *see* Hohenadel IA *et al*
Zhao XJ *et al*. Expression of oestrogen and progesterone receptors by mast cells alone, but not lymphocytes, macrophages or other immune cells in human upper airways, **205**
Ziesche R *see* Petkov V *et al*

VOLUME 56 • SUBJECT INDEX

α_1-antichymotrypsin, Association of α_1-antichymotrypsin deficiency with milder lung disease in patients with cystic fibrosis, **53**

α_1-antitrypsin, Association of α_1-antichymotrypsin deficiency with milder lung disease in patients with cystic fibrosis, **53**

acute bronchitis, Acute lower respiratory tract illness: *letter*, **896**
Management of adult lower respiratory tract infection in primary care: *editorial*, **87**
Prospective study of the incidence, aetiology and outcome of adult lower respiratory tract illness in the community, **109**

acute lung injury, Progress in ARDS research: a protection racket?: *editorial*, **2**

acute respiratory distress syndrome (ARDS), Progress in ARDS research: a protection racket?: *editorial*, **2**
Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**

adenosine-5'-monophosphate (AMP), Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol, **362**

adhesion molecules, Enhanced neutrophil response in chronic obstructive pulmonary disease, **432**

adolescent idiopathic scoliosis, Pulmonary function in adolescent idiopathic scoliosis: a 25 year follow up after surgery or start of brace treatment, **388**

adolescents, Effect of gas cooking on lung function in adolescents: modifying role of sex and immunoglobulin E, **536**

adult community acquired pneumonia, Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines, **296**

adult lower respiratory tract illness, Acute lower respiratory tract illness: *letter*, **896**
Management of adult lower respiratory tract infection in primary care: *editorial*, **87**
Prospective study of the incidence, aetiology and outcome of adult lower respiratory tract illness in the community, **109**

adult lung disease, Cystic fibrosis: *review*, **237**

adult lung function, Birth weight and adult lung function in China: *letter*, **85**

advanced cancer, The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer, **146**

adverse effects, Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**

aetiology, Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines, **296**

Africa, Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Prenatal risk factors of wheezing at the age of four years in Tanzania: *letter*, **897**

age, Influence of age and disease severity on high resolution CT lung densitometry in asthma, **851**
Sex dependent differences in physiological ageing in the immune system of lower airways in healthy non-smoking volunteers: study of lymphocyte subsets in bronchoalveolar lavage fluid and blood, **450**

AIDS, AIDS and the lung in a changing world: *editorial*, **423**

air pollution, Proximity to coke works and hospital admissions for respiratory and cardiovascular disease in England and Wales, **228**

airway hyperresponsiveness, Airway hyperresponsiveness and COPD mortality, **ii11 (suppl II)**
Obesity and lung function: *letter*, **740**
Obesity is a risk for asthma and wheeze but not airway hyperresponsiveness, **4**

airway inflammation, Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**

airway mechanics, Methacholine responsiveness in infants assessed with low frequency forced oscillation and forced expiration techniques, **42**

airway obstruction, Intramural neurofibroma of the trachea treated by multiple stents, **583**

airway pathology, Degranulation patterns of eosinophil granulocytes as determinants of eosinophil driven disease, **341**

allergen challenge, Rapid dendritic cell recruitment to the bronchial mucosa of patients with atopic asthma in response to local allergen challenge, **823**

allergic disease, Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**

allergic rhinitis, Home dampness, current allergic diseases, and respiratory infections among young adults, **462**

allergy, Degranulation patterns of eosinophil granulocytes as determinants of eosinophil driven disease, **341**
Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**

alveolar macrophages, Alveolar macrophage activity and the pulmonary complications of haematopoietic stem cell transplantation, **941**
Ultrafine particles in alveolar macrophages from normal children, **932**

angiogenesis, A biological staging model for operable non-small cell lung cancer, **561**

animal models, Animal models of chronic obstructive pulmonary disease, **972**

Annual report, Annual Report October 2000 to September 2001: *editorial*, **901**

antibodies, Antibodies against *Pseudomonas aeruginosa* in patients with bronchiectasis: helpful or harmful?: *editorial*, **667**
Anti-*Pseudomonas aeruginosa* antibody detection in patients with bronchiectasis without cystic fibrosis, **669**

anticoagulation, Anticoagulation in patients with thromboembolic disease, **ii30 (suppl II)**

antidepressants, Antidepressants in the treatment of patients with COPD: possible associations between smoking cigarettes, COPD and depression: *editorial*, **587**

anti-inflammatory cytokines, Leucocyte response and anti-inflammatory cytokines in community acquired pneumonia, **121**

antioxidants, Why don't we give chest patients dietary advice?, **ii15 (suppl II)**

antistaphycoccal prophylaxis, CF and antistaphylococcal prophylaxis: *letter*, **819**

antituberculous drugs, Side effects of antituberculous treatment: *letter*, **983**

apoptosis, Enhanced survival of lung granulocytes in an animal model of asthma: evidence for a role of GM-CSF activated STAT5 signalling pathway, **696**

arginine, Effect of nebulised L- and D-arginine on exhaled nitric oxide in steroid naive asthma, **602**

ascorbic acid, Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**

aspiration, Bedside tracer gas technique accurately predicts outcome in aspiration of spontaneous pneumothorax, **617**

assisted discharge from hospital, Assisted discharge for patients with exacerbations of COPD: *letter*, **417**

asthma, Allergen exposure and the development of asthma, **ii58 (suppl II)**
Association between obesity and asthma in 4–11 year old children in the UK, **133**
Asthma and breast feeding: *letter*, **896**
Asthma and indoor environment in Nepal, **477**
Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
Asthma in pregnancy: *review*, **325**
Asthma in preschool children: prevalence and risk factors, **589**
Asthma programme in Finland: a community problem needs community solutions: *review*, **806**
Bone mineral density in subjects with mild asthma randomised to treatment with inhaled corticosteroids or non-corticosteroid treatment for two years, **272**
BTS asthma guidelines: *letter*, **666**
Can the increase in body mass index explain the rising trend in asthma in children?, **845**
Capsaicin responsiveness in asthma and COPD: *letter*, **162**
Cardiovascular side effects of inhaled salbutamol in hypoxic asthmatic patients, **567**
CFC transition: *letter*, **501**
CFC transition: *letter*, **740**
Changing patterns of hospital admission for asthma, 1981–97, **687**
Comparison of the systemic effects of fluticasone propionate and budesonide given by dry powder inhaler in healthy and asthmatic subjects, **186**
Complex interactions in complex traits: obesity and asthma, **ii64 (suppl II)**
Continuing the debate about measuring asthma in population studies: *review*, **406**
COX-2 expression in asthmatic airways: the story so far: *editorial*, **335**
Declining incidence of episodes of asthma: *letter*, **245**
Declining incidence of episodes of asthma: *letter*, **246**
Declining incidence of episodes of asthma: *letter*, **246**
Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
Different subgroups of difficult asthma in children: *letter*, **895**
Do smoking parents seek the best advice for their asthmatic children?: *editorial*, **1**
Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**

Effect of nebulised L- and D-arginine on exhaled nitric oxide in steroid naive asthma, **602**
Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**
Enhanced survival of lung granulocytes in an animal model of asthma: evidence for a role of GM-CSF activated STAT5 signalling pathway, **696**
Evidence for different subgroups of difficult asthma in children, **345**
Evidence for systemic rather than pulmonary effects of interleukin-5 administration in asthma, **935**
Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**
Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population, **613**
Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**
Gastro-oesophageal reflux and asthma: *letter*, **898**
Glutathione in induced sputum of healthy individuals and patients with asthma, **13**
Good respiratory practice in primary care: *editorial*, **339**
Home dampness, current allergic diseases, and respiratory infections among young adults, **462**
Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
Inhaled sodium cromoglycate: *letter*, **585**
Is home monitoring of lung function worthwhile for children with asthma?: *editorial*, **164**
Low dose inhaled corticosteroids and the prevention of death from asthma, **ii74 (suppl II)**
Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review, **198**
Montelukast and Churg-Strauss syndrome: *letter*, **244**
Montelukast and Churg-Strauss syndrome: *letter*, **244**
Nitrogen dioxide exposure from domestic gas cooking and airway response in asthmatic women, **596**
Obesity and lung function: *letter*, **740**
Obesity is a risk for asthma and wheeze but not airway hyperresponsiveness, **4**
Outcome measures in asthma: *letter*, **161**
Paediatric origins of adult lung disease: *review*, **153**
Paracetamol and asthma: *letter*, **586**
Patient preferences for autonomy in decision making in asthma management, **126**
Patient weighting of importance of asthma symptoms, **138**
Peak flow diaries in childhood asthma are unreliable, **180**
Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Prevalence of untreated asthma in a population sample of 6000 older adults in Bristol, UK, **472**
Quantitative and morphological analysis of the vascular bed in bronchial biopsy specimens from asthmatic and non-asthmatic subjects, **902**
Rapid dendritic cell recruitment to the bronchial mucosa of patients with atopic asthma in response to local allergen challenge, **823**
Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III, **835**
Relationship between anxiety, depression, and morbidity in adult asthma patients, **266**
Reliability of PEF diaries: *letter*, **742**
Respiratory symptoms, asthma, exercise test spirometry, and atopy in schoolchildren from a Lima shanty town, **607**
Revisiting interactions between hypoxaemia and β_2 agonists in asthma: *editorial*, **506**
Role of sulfite additives in wine induced asthma: single dose and cumulative dose studies, **763**
Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**
Social predictors of adult asthma: a co-twin case-control study, **234**
Sodium cromoglycate in asthma: *letter*, **896**
Sodium cromoglycate in childhood asthma: *letter*, **331**
Systemic effects of inhaled corticosteroids are milder in asthmatic patients than in normal subjects: *editorial*, **165**
Systemic effects of inhaled steroids: *letter*, **980**
The labyrinth of asthma phenotypes and exhaled NO: *editorial*, **333**
The profile of respiratory conditions: why government action is necessary: *editorial*, **744**
The quality of home spirometry in school children with asthma, **183**
The usefulness of competitive PCR: airway gene expression of IL-5, IL-4, IL-4δ2, IL-2, and IFNγ in asthma, **541**
Thunderstorm outflows preceding epidemics of asthma during spring and summer, **468**
Time to consign cromoglycate to history?: *letter*, **502**
Vessels: new targets for asthma treatment: *editorial*, **899**
Why don't we give chest patients dietary advice?, **ii15 (suppl II)**

asthma death, Low dose inhaled corticosteroids and the prevention of death from asthma, **ii74 (suppl II)**

asthma prevalence, Increasing prevalence of asthma diagnosis and symptoms in children is confined to mild symptoms, **312**
Prevalence of asthma among schoolchildren in Patras, Greece: three surveys over 20 years, **569**

asthma severity, Influence of age and disease severity on high resolution CT lung densitometry in asthma, **851**

asthma treatment, Increasing prevalence of asthma diagnosis and symptoms in children is confined to mild symptoms, **312**

athletes, Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**

atopic dermatitis, Home dampness, current allergic diseases, and respiratory infections among young adults, **462**

atopy, Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
Continuing the debate about measuring asthma in population studies: *review*, **406**
Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**
Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**
Paediatric origins of adult lung disease: *review*, **153**
Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III, **835**
Respiratory symptoms, asthma, exercise test spirometry, and atopy in schoolchildren from a Lima shanty town, **607**
Tuberculin reactivity: *letter*, **332**
Why don't we give chest patients dietary advice?, **ii15 (suppl II)**

atypical adenomatous hyperplasia, Atypical adenomatous hyperplasia of the lung: a clinicopathological study of 118 cases including cases with multiple atypical adenomatous hyperplasia, **302**

β_2 agonists, Cardiovascular side effects of inhaled salbutamol in hypoxic asthmatic patients, **567**
Revisiting interactions between hypoxaemia and β_2 agonists in asthma: *editorial*, **506**

Behçet's disease, Pulmonary manifestations of Behçet's disease: *review*, **572**

birth order, Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**

birth weight, Birth weight and adult lung function in China: *letter*, **85**

bisphosphonates, Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**

body composition, Body mass, fat percentage, and fat free mass as reference variables for lung function: effects on terms for age and sex, **839**

body mass index, Association between obesity and asthma in 4–11 year old children in the UK, **133**
Body mass, fat percentage, and fat free mass as reference variables for lung function: effects on terms for age and sex, **839**
Can the increase in body mass index explain the rising trend in asthma in children?, **845**
Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III, **835**

bone mineral density, Bone mineral density in subjects with mild asthma randomised to treatment with inhaled corticosteroids or non-corticosteroid treatment for two years, **272**
Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**

bottle, Occlusion of chest drain bottle air outlet: *letter*, **585**

breast feeding, Asthma and breast feeding: *letter*, **896**
Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**

breathlessness, Shuttle walking test: *letter*, **895**
The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer, **146**

British American Tobacco, Nottingham University and British American Tobacco: *editorial*, **249**

bronchial asthma, Enhancement of goblet cell hyperplasia and airway hyperresponsiveness by salbutamol in a rat model of atopic asthma, **19**

bronchial hyperresponsiveness, Allergen exposure and the development of asthma, **ii58 (suppl II)**
Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**
Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol, **362**

bronchial responsiveness, Evidence for systemic rather than pulmonary effects of interleukin-5 administration in asthma, **935**

bronchial vasculature, Quantitative and morphological analysis of the vascular bed in bronchial biopsy specimens from asthmatic and non-asthmatic subjects, **902**
Vessels: new targets for asthma treatment: *editorial*, **899**

bronchiectasis, Antibodies against *Pseudomonas aeruginosa* in patients with bronchiectasis: helpful or harmful?: *editorial*, **667**
Anti-*Pseudomonas aeruginosa* antibody detection in patients with bronchiectasis without cystic fibrosis, **669**

bronchiolitis obliterans organising pneumonia (BOOP), BOOP associated with nitrofurantoin: *letter*, **161**

bronchitis, Declining incidence of episodes of asthma: *letter,* **245**
bronchoalveolar lavage, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
Role of bronchoalveolar lavage in immunocompromised patients with pneumonia treated with a broad spectrum antibiotic and antifungal regimen, **115**
Sputum induction as a research tool for sampling the airways of subjects with cystic fibrosis, **306**
bronchoalveolar lavage fluid, Repeatability of cellular constituents and cytokine concentration in fluid obtained by non-bronchoscopic bronchoalveolar lavage of infants receiving extracorporeal oxygenation, **924**
Sex dependent differences in physiological ageing in the immune system of lower airways in healthy non-smoking volunteers: study of lymphocyte subsets in bronchoalveolar lavage fluid and blood, **450**
bronchodilator, Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
bronchopulmonary dysplasia, Long term sequelae of bronchopulmonary dysplasia (chronic lung disease of infancy): *review,* **317**
bronchoscopy, British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
CT scanning in lung cancer: *letter,* **84**
Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma, **25**
BTS guidelines, BCG re-vaccination: *letter,* **741**
Being positive about the smear: *letter,* **417**
British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
BTS asthma guidelines: *letter,* **666**
BTS guidelines for the management of community acquired pneumonia in adults, **iv1 (suppl IV)**
BTS guidelines on TB: *letter,* **585**
BTS statement, Pulmonary rehabilitation, **827**
Statement on malignant mesothelioma in the United Kingdom, **250**
BTS Winter Meeting 2000, British Thoracic Society Winter Meeting 2000: *review,* **412**
BTS Winter Meeting 2001, Programme and abstracts, **iii1 (suppl III)**
budesonide, Systemic effects of inhaled steroids: *letter,* **980**
bullous emphysema, Severe bullous emphysema associated with cocaine smoking: *letter,* **982**
bupropion, Smoking cessation: integrating recent advances into clinical practice: *review,* **579**

calcitonin, Acute rib fracture pain in CF: *letter,* **819**
cancer, Shuttle walking test: *letter,* **895**
carbohydrate, Similarities and differences in lectin cytochemistry of laryngeal and tracheal epithelium and subepithelial seromucous glands in cases of sudden infant death and controls, **223**
carbon monoxide, Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
carbon monoxide transfer factor, Lung function tests and risk factors for pneumonia in adults with chickenpox, **796**
β-carotene supplementation Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
CD28, CD28 negative T cells are enriched in granulomatous lesions of the respiratory tract in Wegener's granulomatosis, **751**
CD4, Prognostic value of CD4+ lymphocytes in pleural cavity of patients with non-small cell lung cancer, **639**
chest drain, Occlusion of chest drain bottle air outlet: *letter,* **585**
chickenpox, Lung function tests and risk factors for pneumonia in adults with chickenpox, **796**
childhood, Prevalence of asthma among schoolchildren in Patras, Greece: three surveys over 20 years, **569**
children, Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
Different subgroups of difficult asthma in children: *letter,* **895**
Do smoking parents seek the best advice for their asthmatic children?: *editorial,* **1**
Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**
Evidence for different subgroups of difficult asthma in children, **345**
Increasing prevalence of asthma diagnosis and symptoms in children is confined to mild symptoms, **312**
Inhaled sodium cromoglycate: *letter,* **585**
Is home monitoring of lung function worthwhile for children with asthma?: *editorial,* **164**
Methacholine responsiveness in infants assessed with low frequency forced oscillation and forced expiration techniques, **42**
Peak flow diaries in childhood asthma are unreliable, **180**
Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
Reliability of PEF diaries: *letter,* **742**
Sodium cromoglycate in childhood asthma: *letter,* **331**
The labyrinth of asthma phenotypes and exhaled NO: *editorial,* **333**
The quality of home spirometry in school children with asthma, **183**
Time to consign cromoglycate to history?: *letter,* **502**
Ultrafine particles in alveolar macrophages from normal children, **932**
chlorofluorocarbons, CFC transition: *letter,* **501**
CFC transition: *letter,* **501**
CFC transition: *letter,* **740**
chronic bronchitis, IgG subclasses in smokers with chronic bronchitis and recurrent exacerbations, **445**
Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
chronic lung disease of infancy, Long term sequelae of bronchopulmonary dysplasia (chronic lung disease of infancy): *review,* **317**
chronic obstructive pulmonary disease, A randomised controlled trial of four weeks versus seven weeks of pulmonary rehabilitation in chronic obstructive pulmonary disease, **143**
Airway hyperresponsiveness and COPD mortality, **ii11 (suppl II)**
Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
Analysis of sputum in COPD: *editorial,* **420**
Animal models of chronic obstructive pulmonary disease, **972**
Antidepressants in the treatment of patients with COPD: possible associations between smoking cigarettes, COPD and depression: *editorial,* **587**
Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Assisted discharge for patients with exacerbations of COPD: *letter,* **417**
Capsaicin responsiveness in asthma and COPD: *letter,* **162**
COPD exacerbations: *letter,* **740**
Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR), **954**
Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
Effect of pulmonary rehabilitation on exhaled nitric oxide in patients with chronic obstructive pulmonary disease, **519**
Endothelin in acute exacerbations of COPD: *letter,* **819**
Enhanced neutrophil response in chronic obstructive pulmonary disease, **432**
Enhancing physical performance in chronic obstructive pulmonary disease: *review,* **73**
Good respiratory practice in primary care: *editorial,* **339**
Health status measurement in chronic obstructive pulmonary disease: *review,* **880**
Inhaled steroids for COPD?, **ii2 (suppl II)**
Long term effects of non-invasive mechanical ventilation on pulmonary haemodynamics in patients with chronic respiratory failure, **524**
Non-invasive mechanical ventilation: *letter,* **666**
Non-invasive ventilation in acute exacerbations of chronic obstructive pulmonary disease: long term survival and predictors of in-hospital outcome, **708**
Pulmonary rehabilitation, **827**
Relationship between airway inflammation and the frequency of exacerbations in patients with smoking related COPD, **36**
Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
Smoking cessation: effects on symptoms, spirometry and future trends in COPD, **ii7 (suppl II)**
Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**
Supplemental oxygen in COPD: *letter,* **86**
Systemic anti-inflammatory mediators in COPD: increase in soluble interleukin 1 receptor II during treatment of exacerbations, **721**
Why don't we give chest patients dietary advice?, **ii15 (suppl II)**
chronic respiratory failure, Long term effects of non-invasive mechanical ventilation on pulmonary haemodynamics in patients with chronic respiratory failure, **524**
Chronic Respiratory Questionnaire (CRQ), Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR), **954**
Churg-Strauss syndrome, Churg-Strauss syndrome with montelukast: *letter,* **417**
Churg-Strauss syndrome: *letter,* **818**
Montelukast and Churg-Strauss syndrome: *letter,* **244**
Montelukast and Churg-Strauss syndrome: *letter,* **244**
cigarette smoking, Airway hyperresponsiveness and COPD mortality, **ii11 (suppl II)**
Antidepressants in the treatment of patients with COPD: possible associations between smoking cigarettes, COPD and depression: *editorial,* **587**
Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
clinical parameters, Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
clinical staging, 18-Fluorodeoxyglucose positron emission tomography (FDG-PET) and the staging of early lung cancer, **ii38 (suppl II)**

cocaine smoking, Severe bullous emphysema associated with cocaine smoking: *letter,* **982**
code of practice, Being positive about the smear: *letter,* **417**
community acquired pneumonia, BTS guidelines for the management of community acquired pneumonia in adults, **iv1 (suppl IV)**
Leucocyte response and anti-inflammatory cytokines in community acquired pneumonia, **121**
competitive PCR, The usefulness of competitive PCR: airway gene expression of IL-5, IL-4, IL-4δ2, IL-2, and IFNγ in asthma, **541**
compliance, Continuous positive airway pressure for sleep apnoea/hypopnoea syndrome: usefulness of a 2 week trial to identify factors associated with long term use, **727**
Is home monitoring of lung function worthwhile for children with asthma?: *editorial,* **164**
Peak flow diaries in childhood asthma are unreliable, **180**
The quality of home spirometry in school children with asthma, **183**
computed tomography, CT scanning in lung cancer: *letter,* **84**
congenital diaphragmatic hernia, Adult outcome of congenital lower respiratory tract malformations: *review,* **65**
congenital malformations, Adult outcome of congenital lower respiratory tract malformations: *review,* **65**
conjoint analysis, Patient weighting of importance of asthma symptoms, **138**
continuous positive airway pressure, Continuous positive airway pressure for sleep apnoea/hypopnoea syndrome: usefulness of a 2 week trial to identify factors associated with long term use, **727**
Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
Reduction in motor vehicle collisions following treatment of sleep apnoea with nasal CPAP, **508**
Serious motor vehicle crashes: the cost of untreated sleep apnoea: *editorial,* **505**
corticosteroids, Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
Transforming growth factor β_2 induced pleurodesis is not inhibited by corticosteroids, **643**
cost, Cost of physiotherapy in CF: *letter,* **980**
cost analysis, Treatment pathways, resource use and costs in the management of small cell lung cancer, **785**
cost effectiveness, Cost effectiveness of an outpatient multidisciplinary pulmonary rehabilitation programme, **779**
cost/utility analysis, Cost effectiveness of an outpatient multidisciplinary pulmonary rehabilitation programme, **779**
cough, Patient weighting of importance of asthma symptoms, **138**
cough flow physiology, Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
cough reflex, Capsaicin responsiveness in asthma and COPD: *letter,* **162**
critical care, Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**
cryptogenic fibrosing alveolitis, A survey of nocturnal hypoxaemia and health related quality of life in patients with cryptogenic fibrosing alveolitis, **482**
Pulmonary ^{99m}Tc-DTPA aerosol clearance and survival in usual interstitial pneumonia (UIP), **916**
cyclo-oxygenase (COX), COX-2 expression in asthmatic airways: the story so far: *editorial,* **335**
Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
cystic fibrosis, Acute rib fracture pain in CF: *letter,* **819**
Association of α_1-antichymotrypsin deficiency with milder lung disease in patients with cystic fibrosis, **53**
CF and antistaphylococcal prophylaxis: *letter,* **819**
Cost of physiotherapy in CF: *letter,* **980**
Cystic fibrosis: *review,* **237**
Directed neutrophil migration to IL-8 is increased in cystic fibrosis: a study of the effect of erythromycin, **62**
Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**
Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
Exhaled nitric oxide is reduced in infants with cystic fibrosis, **151**
Flying and cystic fibrosis: getting there and back safely: *editorial,* **821**
Modelling survival in cystic fibrosis: *editorial,* **743**
Montelukast sodium in cystic fibrosis: *letter,* **244**
Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
Sputum induction as a research tool for sampling the airways of subjects with cystic fibrosis, **306**
Wasting as an independent predictor of mortality in patients with cystic fibrosis, **746**
Women with cystic fibrosis and their potential for reproduction: *review,* **649**
cystic malformations, Adult outcome of congenital lower respiratory tract malformations: *review,* **65**
cytokines, Alveolar macrophage activity and the pulmonary complications of haematopoietic stem cell transplantation, **941**
Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**

dampness, Home dampness, current allergic diseases, and respiratory infections among young adults, **462**
decision making, Patient preferences for autonomy in decision making in asthma management, **126**
deep vein thrombosis, Anticoagulation in patients with thromboembolic disease, **ii30 (suppl II)**
degranulation, Degranulation patterns of eosinophil granulocytes as determinants of eosinophil driven disease, **341**
dendritic cells, Dendritic cell ontogeny as an aetiological factor in respiratory tract diseases in early life: *editorial,* **419**
Dendritic cells in the mucosa of the human trachea are not regularly found in the first year of life, **427**
Rapid dendritic cell recruitment to the bronchial mucosa of patients with atopic asthma in response to local allergen challenge, **823**
depression, Antidepressants in the treatment of patients with COPD: possible associations between smoking cigarettes, COPD and depression: *editorial,* **587**
Relationship between anxiety, depression, and morbidity in adult asthma patients, **266**
desaturation, Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
diagnosis, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
Pulmonary infiltrates in non-HIV patients: *letter,* **981**
diagnostic labelling, Increasing prevalence of asthma diagnosis and symptoms in children is confined to mild symptoms, **312**
diaphragmatic strength, Diaphragm strength in acute systemic lupus erythematosus in a patient with paradoxical abdominal motion and reduced lung volumes, **329**
diary card, Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
diet, Declining incidence of episodes of asthma: *letter,* **246**
Factors affecting susceptibility and resistance to tuberculosis, **ii23 (suppl II)**
Why don't we give chest patients dietary advice?, **ii15 (suppl II)**
discharge, Bedside tracer gas technique accurately predicts outcome in aspiration of spontaneous pneumothorax, **617**
disinfection, British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
disodium cromoglycate, Sodium cromoglycate in childhood asthma: *letter,* **331**
DKC1 gene, X-linked dyskeratosis congenita: restrictive pulmonary disease and a novel mutation, **891**
domestic animals, Asthma and indoor environment in Nepal, **477**
domiciliary respiratory nursing, COPD exacerbations: *letter,* **740**
dosage, Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**
Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable): a systematic review, **628**
driving, Reduction in motor vehicle collisions following treatment of sleep apnoea with nasal CPAP, **508**
Serious motor vehicle crashes: the cost of untreated sleep apnoea: *editorial,* **505**
driving simulator, Relationship between obstructive sleep apnoea, driving simulator performance, and risk of road traffic accidents, **800**
drug delivery, CFC transition: *letter,* **501**
CFC transition: *letter,* **501**
CFC transition: *letter,* **740**
duration, A randomised controlled trial of four weeks versus seven weeks of pulmonary rehabilitation in chronic obstructive pulmonary disease, **143**
dyskeratosis congenita, X-linked dyskeratosis congenita: restrictive pulmonary disease and a novel mutation, **891**

eczema, Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**
elderly, Prevalence of untreated asthma in a population sample of 6000 older adults in Bristol, UK, **472**
electron microscopy, Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma, **25**
elimination, Tuberculosis in Cuba: *letter,* **84**
emphysema, Animal models of chronic obstructive pulmonary disease, **972**
end expiratory lung volume, Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
endothelin, Endothelin in acute exacerbations of COPD: *letter,* **819**
endothelin-1, Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**

environmental allergens, Allergen exposure and the development of asthma, **ii58 (suppl II)**
eosinophils, Degranulation patterns of eosinophil granulocytes as determinants of eosinophil driven disease, **341**
Evidence for systemic rather than pulmonary effects of interleukin-5 administration in asthma, **935**
Quantitative and morphological analysis of the vascular bed in bronchial biopsy specimens from asthmatic and non-asthmatic subjects, **902**
Vessels: new targets for asthma treatment: *editorial*, **899**
epidemiology, Proximity to coke works and hospital admissions for respiratory and cardiovascular disease in England and Wales, **228**
epithelial lining fluid, Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
epoprostenol, Aerosolised iloprost improves pulmonary haemodynamics in patients with primary pulmonary hypertension receiving continuous epoprostenol treatment, **734**
erythromycin, Directed neutrophil migration to IL-8 is increased in cystic fibrosis: a study of the effect of erythromycin, **62**
ethambutol, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
ethics, Ethical problems in respiratory care: the role of the law: *review*, **78**
ethnicity, Association between obesity and asthma in 4–11 year old children in the UK, **133**
EuroQol, Assessment of quality of life in lung transplantation using a simple generic tool, **218**
exacerbations, Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
exercise, Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**
exercise test, Shuttle walking test: *letter*, **895**
The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer, **146**
exercise training, Effect of pulmonary rehabilitation on exhaled nitric oxide in patients with chronic obstructive pulmonary disease, **519**
exhaled nitric oxide, Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
Different subgroups of difficult asthma in children: *letter*, **895**
Effect of nebulised L- and D-arginine on exhaled nitric oxide in steroid naive asthma, **602**
Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
Effect of pulmonary rehabilitation on exhaled nitric oxide in patients with chronic obstructive pulmonary disease, **519**
Evidence for different subgroups of difficult asthma in children, **345**
Exhaled nitric oxide is reduced in infants with cystic fibrosis, **151**
Exhaled nitric oxide levels in non-allergic and allergic mono- or polysensitised children with asthma, **857**
Increased nitric oxide metabolites in exhaled breath condensate after exposure to tobacco smoke, **456**
The labyrinth of asthma phenotypes and exhaled NO: *editorial*, **333**
extracorporeal membrane oxygenation, Repeatability of cellular constituents and cytokine concentration in fluid obtained by non-bronchoscopic bronchoalveolar lavage of infants receiving extracorporeal oxygenation, **924**
exudates, Is the pleural fluid transudate or exudate? A revisit of the diagnostic criteria, **867**

false results, Method for manipulating peak flow measurements producing falsely raised readings, **500**
female sex steroid hormones, Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population, **613**
fetal development, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
fibrosing alveolitis, Fibrosing alveolitis in patients with rheumatoid arthritis as assessed by high resolution computed tomography, chest radiography, and pulmonary function tests, **622**
flow cytometry, Intracellular cytokine repertoire in different T cell subsets from patients with sarcoidosis, **487**
flow limitation, Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
18-fluorodeoxyglucose positron emission tomography (FDG-PET), 18-Fluorodeoxyglucose positron emission tomography (FDG-PET) and the staging of early lung cancer, **ii38 (suppl II)**
fluticasone, Systemic effects of inhaled steroids: *letter*, **980**
flying, Flying and cystic fibrosis: getting there and back safely: *editorial*, **821**
Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
follicular bronchiolitis, Non-neoplastic pulmonary lymphoid lesions: *review*, **964**
forced oscillations, Methacholine responsiveness in infants assessed with low frequency forced oscillation and forced expiration techniques, **42**
formoterol, Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
fractures, Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**
free access, Free access to *Thorax* for low income countries: *editorial*, **668**
fruit, Why don't we give chest patients dietary advice?, **ii15 (suppl II)**

gas cooking, Effect of gas cooking on lung function in adolescents: modifying role of sex and immunoglobulin E, **536**
Nitrogen dioxide exposure from domestic gas cooking and airway response in asthmatic women, **596**
gastro-oesophageal reflux, Gastro-oesophageal reflux and asthma: *letter*, **898**
Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review, **198**
gene expression, Localisation of transforming growth factor β_1 and β_3 mRNA transcripts in normal and fibrotic human lung, **549**
general practice, Acute lower respiratory tract illness: *letter*, **896**
Declining incidence of episodes of asthma: *letter*, **245**
Management of adult lower respiratory tract infection in primary care: *editorial*, **87**
Prospective study of the incidence, aetiology and outcome of adult lower respiratory tract illness in the community, **109**
genes, Complex interactions in complex traits: obesity and asthma, **ii64 (suppl II)**
glutathione, Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
Glutathione in induced sputum of healthy individuals and patients with asthma, **13**
glutathione disulfide, Glutathione in induced sputum of healthy individuals and patients with asthma, **13**
glycopeptidelipid, Enhanced inhibition of lymphocyte activation by *Mycobacterium avium* complex in human T lymphotrophic virus type I carriers, **394**
GM-CSF, Pulmonary alveolar proteinosis: a complete response to GM-CSF therapy, **664**
goblet cell hyperplasia, Enhancement of goblet cell hyperplasia and airway hyperresponsiveness by salbutamol in a rat model of atopic asthma, **19**
government initiatives, The profile of respiratory conditions: why government action is necessary: *editorial*, **744**
GP visits, Do smoking parents seek the best advice for their asthmatic children?: *editorial*, **1**
Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**
graft-versus-host-disease, Myositis associated graft-versus-host-disease presenting as respiratory muscle weakness, **82**
granulocytes, Enhanced survival of lung granulocytes in an animal model of asthma: evidence for a role of GM-CSF activated STAT5 signalling pathway, **696**
guidelines, Guidelines on the selection of patients with lung cancer for surgery, **89**

haematopoietic stem cell transplantation, Alveolar macrophage activity and the pulmonary complications of haematopoietic stem cell transplantation, **941**
hay fever, Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**
health care assessment, Management and survival of patients with lung cancer in Scotland diagnosed in 1995: results of a national population based study, **212**
health related quality of life, A survey of nocturnal hypoxaemia and health related quality of life in patients with cryptogenic fibrosing alveolitis, **482**
health status assessment, Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR), **954**
Health status measurement in chronic obstructive pulmonary disease: *review*, **880**
high dose rate brachytherapy, Successful use of high dose rate brachytherapy for non-malignant bronchial obstruction, **415**
high resolution computed tomography, Fibrosing alveolitis in patients with rheumatoid arthritis as assessed by high resolution computed tomography, chest radiography, and pulmonary function tests, **622**
Influence of age and disease severity on high resolution CT lung densitometry in asthma, **851**
Stable pulmonary capillary haemangiomatosis without symptomatic pulmonary hypertension, **815**
highly active antiretroviral therapy (HAART), AIDS and the lung in a changing world: *editorial*, **423**
Mycobacterium xenopi pulmonary infection in an HIV infected patient under highly active antiretroviral treatment, **978**
HIV co-infection, Tuberculosis at the end of the 20th century in England and Wales: results of a national survey in 1998, **173**
HIV infection, AIDS and the lung in a changing world: *editorial*, **423**

Mycobacterium xenopi pulmonary infection in an HIV infected patient under highly active antiretroviral treatment, **978**
home monitoring, Is home monitoring of lung function worthwhile for children with asthma?: *editorial*, **164**
Peak flow diaries in childhood asthma are unreliable, **180**
Reliability of PEF diaries: *letter*, **742**
The quality of home spirometry in school children with asthma, **183**
home treatment, Continuous positive airway pressure for sleep apnoea/hypopnoea syndrome: usefulness of a 2 week trial to identify factors associated with long term use, **727**
hormone replacement therapy, Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population, **613**
hospital admission, Changing patterns of hospital admission for asthma, 1981–97, **687**
HTLV-I carriers, Enhanced inhibition of lymphocyte activation by *Mycobacterium avium* complex in human T lymphotrophic virus type I carriers, **394**
human respiratory mucosa, Dendritic cell ontogeny as an aetiological factor in respiratory tract diseases in early life: *editorial*, **419**
Dendritic cells in the mucosa of the human trachea are not regularly found in the first year of life, **427**
hypertension, Sleep apnoea and hypertension: proof at last?, **ii45 (suppl II)**
hyperventilation syndrome, Hyperventilation syndrome: *letter*, **740**
Hyperventilation syndrome: *letter*, **85**
hypoxaemia, Revisiting interactions between hypoxaemia and β_2 agonists in asthma: *editorial*, **506**
hypoxia, Cardiovascular side effects of inhaled salbutamol in hypoxic asthmatic patients, **567**

idiopathic pulmonary fibrosis, Pulmonary ^{99m}Tc-DTPA aerosol clearance and survival in usual interstitial pneumonia (UIP), **916**
Regulation of the effects of TGF-β1 by activation of latent TGF-β1 and differential expression of TGF-β receptors (TβR-I and TβR-II) in idiopathic pulmonary fibrosis, **907**
IgE, Effect of gas cooking on lung function in adolescents: modifying role of sex and immunoglobulin E, **536**
IgG subclasses, IgG subclasses in smokers with chronic bronchitis and recurrent exacerbations, **445**
iloprost, Aerosolised iloprost improves pulmonary haemodynamics in patients with primary pulmonary hypertension receiving continuous epoprostenol treatment, **734**
immigration, TB at the end of the 20th century: *letter*, **897**
immune restoration syndrome, *Mycobacterium xenopi* pulmonary infection in an HIV infected patient under highly active antiretroviral treatment, **978**
immunisation, Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
immunocompromised, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
immunohistochemistry, Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
immunosuppression, Role of bronchoalveolar lavage in immunocompromised patients with pneumonia treated with a broad spectrum antibiotic and antifungal regimen, **115**
impact factor, Journal impact factors for 2000: *Thorax* flying yet higher, **587**
in situ hybridisation, Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
induced sputum, Glutathione in induced sputum of healthy individuals and patients with asthma, **13**

infant, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
infant feeding, Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**
infection hypothesis, Asthma and indoor environment in Nepal, **477**
infectious diseases, Dendritic cell ontogeny as an aetiological factor in respiratory tract diseases in early life: *editorial*, **419**
Dendritic cells in the mucosa of the human trachea are not regularly found in the first year of life, **427**
inflammation, Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Relationship between airway inflammation and the frequency of exacerbations in patients with smoking related COPD, **36**
Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**
inhaled corticosteroids, Bone mineral density in subjects with mild asthma randomised to treatment with inhaled corticosteroids or non-corticosteroid treatment for two years, **272**
Comparison of the systemic effects of fluticasone propionate and budesonide given by dry powder inhaler in healthy and asthmatic subjects, **186**
Inhaled steroids for COPD?, **ii2 (suppl II)**
Systemic effects of inhaled corticosteroids are milder in asthmatic patients than in normal subjects: *editorial*, **165**
Systemic effects of inhaled steroids: *letter*, **980**
inhaled salbutamol, Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**
inpatients, Interventions for smoking cessation in hospitalised patients: a systematic review: *review*, **656**
interleukin 1, Association of IL-1β and IL-1 receptor antagonist haplotypes with rate of decline in lung function in smokers, **863**
interleukin 5, Evidence for systemic rather than pulmonary effects of interleukin-5 administration in asthma, **935**
interleukins, The usefulness of competitive PCR: airway gene expression of IL-5, IL-4, IL-4δ2, IL-2, and IFNγ in asthma, **541**
interrupter respiratory resistance, Reference values of interrupter respiratory resistance in healthy preschool white children, **691**
interstitial lung fibrosis, Pulmonary hypertension, interstitial lung fibrosis, and lung iron deposition in thalassaemia major, **737**
intrapulmonary lymphoid nodes, Non-neoplastic pulmonary lymphoid lesions: *review*, **964**
isoniazid, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare, M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**

law, Ethical problems in respiratory care: the role of the law: *review*, **78**
life style, Social predictors of adult asthma: a co-twin case-control study, **234**
life threatening asthma, Severe life threatening asthma: *letter*, **897**
lobar volume reduction surgery, Lobar volume reduction surgery: a method of increasing the lung cancer resection rate in patients with emphysema, **791**
long term effects, Long term sequelae of bronchopulmonary dysplasia (chronic lung disease of infancy): *review*, **317**
long term outcome, Pulmonary function in adolescent idiopathic scoliosis: a 25 year follow up after surgery or start of brace treatment, **388**
long term survival, Non-invasive ventilation in acute exacerbations of chronic obstructive pulmonary disease: long term survival and predictors of in-hospital outcome, **708**
low dose inhaled corticosteroids, Low dose inhaled corticosteroids and the prevention of death from asthma, **ii74 (suppl II)**
low income countries, Free access to *Thorax* for low income countries: *editorial*, **668**
Tuberculosis in Cuba: *letter*, **84**
lower respiratory illness, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
lung cancer, Atypical adenomatous hyperplasia of the lung: a clinicopathological study of 118 cases including cases with multiple atypical adenomatous hyperplasia, **302**
CT scanning in lung cancer: *letter*, **84**
18-Fluorodeoxyglucose positron emission tomography (FDG-PET) and the staging of early lung cancer, **ii38 (suppl II)**
Guidelines on the selection of patients with lung cancer for surgery, **89**
Lobar volume reduction surgery: a method of increasing the lung cancer resection rate in patients with emphysema, **791**
Lung cancer survival: *letter*, **742**
Prognostic value of CD4+ lymphocytes in pleural cavity of patients with non-small cell lung cancer, **639**
Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable): a systematic review, **628**
lung disease, Paediatric origins of adult lung disease: *review*, **153**
lung function, Association of IL-1β and IL-1 receptor antagonist haplotypes with rate of decline in lung function in smokers, **863**
Body mass, fat percentage, and fat free mass as reference variables for lung function: effects on terms for age and sex, **839**
Effect of gas cooking on lung function in adolescents: modifying role of sex and immunoglobulin E, **536**
Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
Function and inhibition sensitivity of the N-terminal segment of surfactant protein B (SP-B1-25) in preterm rabbits, **871**
Influence of age and disease severity on high resolution CT lung densitometry in asthma, **851**
Lung function tests and risk factors for pneumonia in adults with chickenpox, **796**
Pulmonary function in adolescent idiopathic scoliosis: a 25 year follow up after surgery or start of brace treatment, **388**
Smoking cessation, decline in pulmonary function and total mortality: a 30 year follow up study among the Finnish cohorts of the Seven Countries Study, **703**
lung function tests, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
lung infection, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
Pulmonary infiltrates in non-HIV patients: *letter*, **981**
Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**
lung tissue mechanics, Methacholine responsiveness in infants assessed with low frequency forced oscillation and forced expiration techniques, **42**

lung transplantation, Assessment of quality of life in lung transplantation using a simple generic tool, **218**
Induced sputum cell profiles in lung transplant recipients with or without chronic rejection: correlation with lung function, **557**
lung volumes, Diaphragm strength in acute systemic lupus erythematosus in a patient with paradoxical abdominal motion and reduced lung volumes, **329**
lymphocyte blastogenic response, Enhanced inhibition of lymphocyte activation by *Mycobacterium avium* complex in human T lymphotrophic virus type I carriers, **394**
lymphocytes, Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma, **25**
lymphocytic interstitial pneumonia, Non-neoplastic pulmonary lymphoid lesions: *review*, **964**

malaria, Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Prenatal risk factors of wheezing at the age of four years in Tanzania: *letter*, **897**
malignant mesothelioma, Malignant mesothelioma: *letter*, **417**
Statement on malignant mesothelioma in the United Kingdom, **250**
manually assisted cough, Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
mast cell, Expression of oestrogen and progesterone receptors by mast cells alone, but not lymphocytes, macrophages or other immune cells in human upper airways, **205**
matrix metalloproteinases, A biological staging model for operable non-small cell lung cancer, **561**
measurement, Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
mechanical insufflation, Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
mechanical ventilation, Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**
medical audit, Management and survival of patients with lung cancer in Scotland diagnosed in 1995: results of a national population based study, **212**
microbial stimulation, Asthma and indoor environment in Nepal, **477**
montelukast, Churg-Strauss syndrome with montelukast: *letter*, **417**
Montelukast and Churg-Strauss syndrome: *letter*, **244**
Montelukast and Churg-Strauss syndrome: *letter*, **244**
Montelukast sodium in cystic fibrosis: *letter*, **244**
morbidity, Prediction of pulmonary complications after a lobectomy in patients with non-small cell lung cancer, **59**
Relationship between anxiety, depression, and morbidity in adult asthma patients, **266**
mortality, Progress in ARDS research: a protection racket?: *editorial*, **2**
Smoking cessation, decline in pulmonary function and total mortality: a 30 year follow up study among the Finnish cohorts of the Seven Countries Study, **703**
motor vehicle collisions, Reduction in motor vehicle collisions following treatment of sleep apnoea with nasal CPAP, **508**
Serious motor vehicle crashes: the cost of untreated sleep apnoea: *editorial*, **505**
mucin, Similarities and differences in lectin cytochemistry of laryngeal and tracheal epithelium and subepithelial seromucous glands in cases of sudden infant death and controls, **223**
multidrug resistance, Multidrug resistant tuberculosis: *letter*, **980**
multiple births, Siblings, multiple births, and the incidence of allergic disease: a birth cohort study using the West Midlands general practice research database, **758**
mycobacteria, "Opportunist" mycobacterial infection: *letter*, **84**
Mycobacterium avium intracellulare, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
***Mycobacterium avium* complex,** Enhanced inhibition of lymphocyte activation by *Mycobacterium avium* complex in human T lymphotrophic virus type I carriers, **394**
Mycobacterium kansasii, Transverse myelopathy and radiculomyelopathy associated with pulmonary atypical *Mycobacterium* infections, **158**
Mycobacterium malmoense, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
Transverse myelopathy and radiculomyelopathy associated with pulmonary atypical *Mycobacterium* infections, **158**
Mycobacterium xenopi, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
Mycobacterium xenopi pulmonary infection in an HIV infected patient under highly active antiretroviral treatment, **978**
myelopathy, Transverse myelopathy and radiculomyelopathy associated with pulmonary atypical *Mycobacterium* infections, **158**
myositis, Myositis associated graft-versus-host-disease presenting as respiratory muscle weakness, **82**

nasal polyposis, Expression of oestrogen and progesterone receptors by mast cells alone, but not lymphocytes, macrophages or other immune cells in human upper airways, **205**
nasopharyngeal wash, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
national survey, Tuberculosis at the end of the 20th century in England and Wales: results of a national survey in 1998, **173**
natural variability, Short term variability of single breath carbon monoxide transfer factor, **358**
neonates, Vibration during high frequency ventilation in neonates: *letter*, **817**
neurofibromatosis, Intramural neurofibroma of the trachea treated by multiple stents, **583**
neutrophils, Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Directed neutrophil migration to IL-8 is increased in cystic fibrosis: a study of the effect of erythromycin, **62**
Enhanced neutrophil response in chronic obstructive pulmonary disease, **432**
Leucocyte response and anti-inflammatory cytokines in community acquired pneumonia, **121**
nicotine, Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
nicotine replacement therapy, Smoking cessation: integrating recent advances into clinical practice: *review*, **579**
nitric oxide metabolites, Increased nitric oxide metabolites in exhaled breath condensate after exposure to tobacco smoke, **456**
nitric oxide synthase, Increased expression of inducible nitric oxide synthase and cyclo-oxygenase-2 in the airway epithelium of asthmatic subjects and regulation by corticosteroid treatment, **351**
nitrofurantoin, BOOP associated with nitrofurantoin: *letter*, **161**
nitrogen dioxide, Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
Nitrogen dioxide exposure from domestic gas cooking and airway response in asthmatic women, **596**
nodular lymphoid hyperplasia, Non-neoplastic pulmonary lymphoid lesions: *review*, **964**
nomenclature, "Opportunist" mycobacterial infection: *letter*, **84**
non-bronchoscopic bronchoalveolar lavage, Repeatability of cellular constituents and cytokine concentration in fluid obtained by non-bronchoscopic bronchoalveolar lavage of infants receiving extracorporeal oxygenation, **924**
non-invasive mechanical ventilation, Long term effects of non-invasive mechanical ventilation on pulmonary haemodynamics in patients with chronic respiratory failure, **524**
Non-invasive mechanical ventilation: *letter*, **666**
non-invasive ventilation, Non-invasive ventilation in acute exacerbations of chronic obstructive pulmonary disease: long term survival and predictors of in-hospital outcome, **708**
Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
non-malignant bronchial obstruction, Successful use of high dose rate brachytherapy for non-malignant bronchial obstruction, **415**
non-small cell lung cancer, A biological staging model for operable non-small cell lung cancer, **561**
Prediction of pulmonary complications after a lobectomy in patients with non-small cell lung cancer, **59**
Nottingham University, Nottingham University and British American Tobacco: *editorial*, **249**

obesity, Association between obesity and asthma in 4–11 year old children in the UK, **133**
Can the increase in body mass index explain the rising trend in asthma in children?, **845**
Complex interactions in complex traits: obesity and asthma, **ii64 (suppl II)**
Obesity and lung function: *letter*, **740**
Obesity is a risk for asthma and wheeze but not airway hyperresponsiveness, **4**
Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III, **835**
obstructive sleep apnoea, Relationship between obstructive sleep apnoea, driving simulator performance, and risk of road traffic accidents, **800**
Sleep apnoea and hypertension: proof at last?, **ii45 (suppl II)**
occlusion, Occlusion of chest drain bottle air outlet: *letter*, **585**
oestrogen receptor, Expression of oestrogen and progesterone receptors by mast cells alone, but not lymphocytes, macrophages or other immune cells in human upper airways, **205**
off line sampling, Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
on line sampling, Controlled low flow off line sampling of exhaled nitric oxide in children, **285**
opportunist mycobacteria, A step forward in the evidence-based treatment of opportunist mycobacteria: *editorial*, **163**

First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
oral contraceptives, Exogenous female sex steroid hormones and risk of asthma and asthma-like symptoms: a cross sectional study of the general population, **613**
oral corticosteroids, Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**
orthostatic test, Hyperventilation syndrome: *letter*, **740**
osteoporosis, Acute rib fracture pain in CF: *letter*, **819**
Adverse effects of oral corticosteroids in relation to dose in patients with lung disease, **279**
Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**
outcome, Management and survival of patients with lung cancer in Scotland diagnosed in 1995: results of a national population based study, **212**
outcome measures, Outcome measures in asthma: *letter*, **161**
oxygen, Supplemental oxygen in COPD: *letter*, **86**

paediatric asthma, Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma, **25**
paediatric origin, Cystic fibrosis: *review*, **237**
Paediatric origins of adult lung disease: *review*, **153**
paediatrics, Exhaled nitric oxide is reduced in infants with cystic fibrosis, **151**
pamidronate, Effect of intravenous pamidronate on bone mineral density in adults with cystic fibrosis, **314**
paracetamol, Paracetamol and asthma: *letter*, **586**
parental smoking, Do smoking parents seek the best advice for their asthmatic children?: *editorial*, **1**
Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**
passive smoking, Asthma and indoor environment in Nepal, **477**
Do smoking parents seek the best advice for their asthmatic children?: *editorial*, **1**
Does passive smoking increase the frequency of health service contacts in children with asthma?, **9**
pathogenesis, New insights into the pathogenesis and treatment of primary pulmonary hypertension: *review*, **888**
pathogens, Management of adult lower respiratory tract infection in primary care: *editorial*, **87**
Prospective study of the incidence, aetiology and outcome of adult lower respiratory tract illness in the community, **109**
Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines, **296**
patient preference, Patient preferences for autonomy in decision making in asthma management, **126**
patient selection, Lobar volume reduction surgery: a method of increasing the lung cancer resection rate in patients with emphysema, **791**
peak expiratory flow, Is home monitoring of lung function worthwhile for children with asthma?: *editorial*, **164**
Peak flow diaries in childhood asthma are unreliable, **180**
Reliability of PEF diaries: *letter*, **742**
The quality of home spirometry in school children with asthma, **183**
peak flow measurements, Method for manipulating peak flow measurements producing falsely raised readings, **500**
performance enhancers, Effects of inhaled salbutamol in exercising non-asthmatic athletes, **675**
Peru, Respiratory symptoms, asthma, exercise test spirometry, and atopy in schoolchildren from a Lima shanty town, **607**
physical performance enhancement, Enhancing physical performance in chronic obstructive pulmonary disease: *review*, **73**
physiotherapy, Cost of physiotherapy in CF: *letter*, **980**
pleural effusions, Is the pleural fluid transudate or exudate? A revisit of the diagnostic criteria, **867**
Transforming growth factor β_2 induced pleurodesis is not inhibited by corticosteroids, **643**
pleurodesis, Transforming growth factor β_2 induced pleurodesis is not inhibited by corticosteroids, **643**
pneumonia, AIDS and the lung in a changing world: *editorial*, **423**
Pneumonia and pregnancy, **398**
Role of bronchoalveolar lavage in immunocompromised patients with pneumonia treated with a broad spectrum antibiotic and antifungal regimen, **115**
pneumothorax, Bedside tracer gas technique accurately predicts outcome in aspiration of spontaneous pneumothorax, **617**
Occlusion of chest drain bottle air outlet: *letter*, **585**
pollution, Ultrafine particles in alveolar macrophages from normal children, **932**
polymorphism (genetics), Association of IL-1β and IL-1 receptor antagonist haplotypes with rate of decline in lung function in smokers, **863**
population studies, Continuing the debate about measuring asthma in population studies: *review*, **406**
precancerous conditions, Atypical adenomatous hyperplasia of the lung: a clinicopathological study of 118 cases including cases with multiple atypical adenomatous hyperplasia, **302**
pregnancy, Asthma in pregnancy: *review*, **325**
Introduction: *review*, **324**
Pneumonia and pregnancy, **398**
Tuberculosis in pregnancy and the puerperium: *review*, **494**
Women with cystic fibrosis and their potential for reproduction: *review*, **649**
preschool children, Asthma in preschool children: prevalence and risk factors, **589**
Reference values of interrupter respiratory resistance in healthy preschool white children, **691**
prevalence, Asthma in preschool children: prevalence and risk factors, **589**
primary care, Good respiratory practice in primary care: *editorial*, **339**
primary pulmonary hypertension, Aerosolised iloprost improves pulmonary haemodynamics in patients with primary pulmonary hypertension receiving continuous epoprostenol treatment, **734**
New insights into the pathogenesis and treatment of primary pulmonary hypertension: *review*, **888**
progesterone receptor, Expression of oestrogen and progesterone receptors by mast cells alone, but not lymphocytes, macrophages or other immune cells in human upper airways, **205**
prognosis, Prognostic value of CD4+ lymphocytes in pleural cavity of patients with non-small cell lung cancer, **639**
proteinases, Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Pseudomonas aeruginosa, Anti-*Pseudomonas aeruginosa* antibody detection in patients with bronchiectasis without cystic fibrosis, **669**
Antibodies against *Pseudomonas aeruginosa* in patients with bronchiectasis: helpful or harmful?: *editorial*, **667**
puerperium, Tuberculosis in pregnancy and the puerperium: *review*, **494**
pulmonary alveolar proteinosis, Pulmonary alveolar proteinosis: a complete response to GM-CSF therapy, **664**
pulmonary capillary haemangiomatosis, Stable pulmonary capillary haemangiomatosis without symptomatic pulmonary hypertension, **815**
pulmonary complications, Prediction of pulmonary complications after a lobectomy in patients with non-small cell lung cancer, **59**
pulmonary embolism, Anticoagulation in patients with thromboembolic disease, **ii30 (suppl II)**
pulmonary exacerbations, Effects of β-carotene supplementation for six months on clinical and laboratory parameters in patients with cystic fibrosis, **48**
pulmonary fibrosis, Localisation of transforming growth factor β_1 and β_3 mRNA transcripts in normal and fibrotic human lung, **549**
pulmonary hypertension, Long term effects of non-invasive mechanical ventilation on pulmonary haemodynamics in patients with chronic respiratory failure, **524**
Pulmonary hypertension, interstitial lung fibrosis, and lung iron deposition in thalassaemia major, **737**
Stable pulmonary capillary haemangiomatosis without symptomatic pulmonary hypertension, **815**
pulmonary rehabilitation, A randomised controlled trial of four weeks versus seven weeks of pulmonary rehabilitation in chronic obstructive pulmonary disease, **143**
Pulmonary rehabilitation, **827**
pulmonary rehabilitation programme, Cost effectiveness of an outpatient multidisciplinary pulmonary rehabilitation programme, **779**
pyrazinamide, Side effects of antituberculous treatment: *letter*, **983**

quality of life, Assessment of quality of life in lung transplantation using a simple generic tool, **218**
Development of a self-reported Chronic Respiratory Questionnaire (CRQ-SR), **954**
Health status measurement in chronic obstructive pulmonary disease: *review*, **880**
Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
Patient weighting of importance of asthma symptoms, **138**

radiotherapy, Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable): a systematic review, **628**
Successful use of high dose rate brachytherapy for non-malignant bronchial obstruction, **415**
rare diseases, Pulmonary manifestations of Behçet's disease: *review*, **572**
readmission, Changing patterns of hospital admission for asthma, 1981–97, **687**
recurrent exacerbations, IgG subclasses in smokers with chronic bronchitis and recurrent exacerbations, **445**
reference values, Body mass, fat percentage, and fat free mass as reference variables for lung function: effects on terms for age and sex, **839**
Reference values of interrupter respiratory resistance in healthy preschool white children, **691**
rehabilitation, Supplemental oxygen in COPD: *letter*, **86**

rejection, Induced sputum cell profiles in lung transplant recipients with or without chronic rejection: correlation with lung function, **557**
repeatability, Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol, **362**
resources, Treatment pathways, resource use and costs in the management of small cell lung cancer, **785**
respiratory burst, Enhanced neutrophil response in chronic obstructive pulmonary disease, **432**
respiratory care, Ethical problems in respiratory care: the role of the law: *review*, **78**
respiratory disease, Proximity to coke works and hospital admissions for respiratory and cardiovascular disease in England and Wales, **228**
respiratory diseases, Introduction: *review*, **324**
respiratory failure, Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
respiratory intensive care units, Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
respiratory muscle weakness, Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
Myositis associated graft-versus-host-disease presenting as respiratory muscle weakness, **82**
restrictive pulmonary disease, X-linked dyskeratosis congenita: restrictive pulmonary disease and a novel mutation, **891**
re-vaccination, BCG re-vaccination: *letter*, **741**
reversibility, Alternative methods for assessing bronchodilator reversibility in chronic obstructive pulmonary disease, **713**
review, Radical radiotherapy for stage I/II non-small cell lung cancer in patients not sufficiently fit for or declining surgery (medically inoperable): a systematic review, **628**
rheumatoid arthritis, Fibrosing alveolitis in patients with rheumatoid arthritis as assessed by high resolution computed tomography, chest radiography, and pulmonary function tests, **622**
rib fracture pain, Acute rib fracture pain in CF: *letter*, **819**
rifampicin, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
risk factors, Asthma in preschool children: prevalence and risk factors, **589**
road traffic accidents, Relationship between obstructive sleep apnoea, driving simulator performance, and risk of road traffic accidents, **800**

safety, British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
salbutamol, Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
Enhancement of goblet cell hyperplasia and airway hyperresponsiveness by salbutamol in a rat model of atopic asthma, **19**
salmeterol, Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
sarcoidosis, CD28 negative T cells are enriched in granulomatous lesions of the respiratory tract in Wegener's granulomatosis, **751**
Intracellular cytokine repertoire in different T cell subsets from patients with sarcoidosis, **487**
Sarcoidosis: old and new treatments: *editorial*, **336**
schoolchildren, Respiratory symptoms, asthma, exercise test spirometry, and atopy in schoolchildren from a Lima shanty town, **607**
scoliosis, Effect of manually assisted cough and mechanical insufflation on cough flow of normal subjects, patients with chronic obstructive pulmonary disease (COPD), and patients with respiratory muscle weakness, **438**
season, Thunderstorm outflows preceding epidemics of asthma during spring and summer, **468**
secretory leukoprotease inhibitor (SLPI), Relationship between airway inflammation and the frequency of exacerbations in patients with smoking related COPD, **36**
self-management, Patient preferences for autonomy in decision making in asthma management, **126**
severity assessment, Study of community acquired pneumonia aetiology (SCAPA) in adults admitted to hospital: implications for management guidelines, **296**
sex, Sex dependent differences in physiological ageing in the immune system of lower airways in healthy non-smoking volunteers: study of lymphocyte subsets in bronchoalveolar lavage fluid and blood, **450**
short dosimeter protocol, Repeatability of bronchial hyperresponsiveness to adenosine-5'-monophosphate (AMP) by a short dosimeter protocol, **362**
shuttle walking test, Shuttle walking test: *letter*, **895**
The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer, **146**
side effects, Side effects of antituberculous treatment: *letter*, **983**
single breath method, Short term variability of single breath carbon monoxide transfer factor, **358**
sleep, A survey of nocturnal hypoxaemia and health related quality of life in patients with cryptogenic fibrosing alveolitis, **482**
sleep apnoea, Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
Reduction in motor vehicle collisions following treatment of sleep apnoea with nasal CPAP, **508**
Serious motor vehicle crashes: the cost of untreated sleep apnoea: *editorial*, **505**
sleep apnoea/hypopnoea syndrome, Continuous positive airway pressure for sleep apnoea/hypopnoea syndrome: usefulness of a 2 week trial to identify factors associated with long term use, **727**
sleep partners, Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
sleep quality, Partners of patients with sleep apnoea/hypopnoea syndrome: effect of CPAP treatment on sleep quality and quality of life, **513**
small cell lung cancer, Treatment pathways, resource use and costs in the management of small cell lung cancer, **785**
smoking, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
Analysis of sputum in COPD: *editorial*, **420**
Association of IL-1β and IL-1 receptor antagonist haplotypes with rate of decline in lung function in smokers, **863**
IgG subclasses in smokers with chronic bronchitis and recurrent exacerbations, **445**
Increased nitric oxide metabolites in exhaled breath condensate after exposure to tobacco smoke, **456**
smoking cessation, Interventions for smoking cessation in hospitalised patients: a systematic review: *review*, **656**
Smoking cessation, decline in pulmonary function and total mortality: a 30 year follow up study among the Finnish cohorts of the Seven Countries Study, **703**
Smoking cessation: effects on symptoms, spirometry and future trends in COPD, **ii7 (suppl II)**
Smoking cessation: integrating recent advances into clinical practice: *review*, **579**
smoky fuels, Asthma and indoor environment in Nepal, **477**
social factor, Social predictors of adult asthma: a co-twin case-control study, **234**
sodium cromoglycate, Inhaled sodium cromoglycate: *letter*, **585**
Sodium cromoglycate in asthma: *letter*, **896**
Time to consign cromoglycate to history?: *letter*, **502**
soluble interleukin 1 receptor II, Systemic anti-inflammatory mediators in COPD: increase in soluble interleukin 1 receptor II during treatment of exacerbations, **721**
sputum, Assessment of airway neutrophils by sputum colour: correlation with airways inflammation, **366**
Induced sputum cell profiles in lung transplant recipients with or without chronic rejection: correlation with lung function, **557**
Sputum and plasma endothelin-1 levels in exacerbations of chronic obstructive pulmonary disease, **30**
sputum analysis, Analysis of sputum in COPD: *editorial*, **420**
sputum induction, Sputum induction as a research tool for sampling the airways of subjects with cystic fibrosis, **306**
stent, Intramural neurofibroma of the trachea treated by multiple stents, **583**
sudden infant death, Similarities and differences in lectin cytochemistry of laryngeal and tracheal epithelium and subepithelial seromucous glands in cases of sudden infant death and controls, **223**
sulfite additives, Role of sulfite additives in wine induced asthma: single dose and cumulative dose studies, **763**
superoxide, Effects of nitrogen dioxide exposure and ascorbic acid supplementation on exhaled nitric oxide in healthy human subjects, **774**
surfactant inhibition, Function and inhibition sensitivity of the N-terminal segment of surfactant protein B (SP-B1-25) in preterm rabbits, **871**
surfactant protein B, Function and inhibition sensitivity of the N-terminal segment of surfactant protein B (SP-B1-25) in preterm rabbits, **871**
surgery, Guidelines on the selection of patients with lung cancer for surgery, **89**
survival, Lung cancer survival: *letter*, **742**
Modelling survival in cystic fibrosis: *editorial*, **743**
Pulmonary ^{99m}Tc-DTPA aerosol clearance and survival in usual interstitial pneumonia (UIP), **916**
Wasting as an independent predictor of mortality in patients with cystic fibrosis, **746**
symptoms, Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
systematic review, Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review, **198**

systemic effects, Comparison of the systemic effects of fluticasone propionate and budesonide given by dry powder inhaler in healthy and asthmatic subjects, **186**
Systemic effects of inhaled corticosteroids are milder in asthmatic patients than in normal subjects: *editorial*, **165**
systemic inflammation, Systemic anti-inflammatory mediators in COPD: increase in soluble interleukin 1 receptor II during treatment of exacerbations, **721**
systemic lupus erythematosus, Diaphragm strength in acute systemic lupus erythematosus in a patient with paradoxical abdominal motion and reduced lung volumes, **329**

T cells, Sex dependent differences in physiological ageing in the immune system of lower airways in healthy non-smoking volunteers: study of lymphocyte subsets in bronchoalveolar lavage fluid and blood, **450**
tar, Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
tar to nicotine ratio, Trends in sales weighted tar, nicotine, and carbon monoxide yields of UK cigarettes, **960**
^{99m}Tc-DTPA clearance, Pulmonary ^{99m}Tc-DTPA aerosol clearance and survival in usual interstitial pneumonia (UIP), **916**
technique, Method for manipulating peak flow measurements producing falsely raised readings, **500**
Th1/Th2 cytokines, Intracellular cytokine repertoire in different T cell subsets from patients with sarcoidosis, **487**
thalassaemia major, Pulmonary hypertension, interstitial lung fibrosis, and lung iron deposition in thalassaemia major, **737**
theophylline toxicity, Continuous venovenous haemofiltration for the treatment of theophylline toxicity, **242**
***Thorax*,** Free access to *Thorax* for low income countries: *editorial*, **668**
thromboembolic disease, Anticoagulation in patients with thromboembolic disease, **ii30 (suppl II)**
thunderstorms, Thunderstorm outflows preceding epidemics of asthma during spring and summer, **468**
tobacco control, Tobacco control: from concern for the lung to global political action: *editorial*, **247**
tolerance, Decreased bronchodilating effect of salbutamol in relieving methacholine induced moderate to severe bronchoconstriction during high dose treatment with long acting β_2 agonists, **529**
total IgE, Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
tracer gas, Bedside tracer gas technique accurately predicts outcome in aspiration of spontaneous pneumothorax, **617**
tracheobronchial aspirate, Pulmonary infiltrates in non-HIV immunocompromised patients: a diagnostic approach using non-invasive and bronchoscopic procedures, **379**
tracheo-oesophageal fistula, Adult outcome of congenital lower respiratory tract malformations: *review*, **65**
training, British Thoracic Society guidelines on diagnostic flexible bronchoscopy, **1**
transfer factor, Short term variability of single breath carbon monoxide transfer factor, **358**
transforming growth factor β, Localisation of transforming growth factor β_1 and β_3 mRNA transcripts in normal and fibrotic human lung, **549**
Regulation of the effects of TGF-β1 by activation of latent TGF-β1 and differential expression of TGF-β receptors (TβR-I and TβR-II) in idiopathic pulmonary fibrosis, **907**
Transforming growth factor β_2 induced pleurodesis is not inhibited by corticosteroids, **643**
transudates, Is the pleural fluid transudate or exudate? A revisit of the diagnostic criteria, **867**
travel, Flying and cystic fibrosis: getting there and back safely: *editorial*, **821**
Predicting hypoxaemia during flights in children with cystic fibrosis, **877**
treatment, A step forward in the evidence-based treatment of opportunist mycobacteria: *editorial*, **163**
Prevalence of untreated asthma in a population sample of 6000 older adults in Bristol, UK, **472**
Pulmonary alveolar proteinosis: a complete response to GM-CSF therapy, **664**
Sarcoidosis: old and new treatments: *editorial*, **336**
Smoking cessation: integrating recent advances into clinical practice: *review*, **579**
Symptom resolution assessed using a patient directed diary card during treatment of acute exacerbations of chronic bronchitis, **947**
treatment regimens, First randomised trial of treatments for pulmonary disease caused by *M avium intracellulare*, *M malmoense*, and *M xenopi* in HIV negative patients: rifampicin, ethambutol and isoniazid versus rifampicin and ethambutol, **167**
trend, Can the increase in body mass index explain the rising trend in asthma in children?, **845**
tuberculin reactivity, Tuberculin reactivity: *letter*, **332**
tuberculosis, A step forward in the evidence-based treatment of opportunist mycobacteria: *editorial*, **163**
AIDS and the lung in a changing world: *editorial*, **423**
Asthma, atopy and tuberculin responses in Chinese schoolchildren in Hong Kong, **770**
BCG re-vaccination: *letter*, **741**
Being positive about the smear: *letter*, **417**
BTS guidelines on TB: *letter*, **585**
Factors affecting susceptibility and resistance to tuberculosis, **ii23 (suppl II)**
Multidrug resistant tuberculosis: *letter*, **980**
National survey of detention and TB: *letter*, **818**
"Opportunist" mycobacterial infection: *letter*, **84**
TB at the end of the 20th century: *letter*, **897**
Tuberculosis at the end of the 20th century in England and Wales: results of a national survey in 1998, **173**
Tuberculosis in Cuba: *letter*, **84**
Tuberculosis in pregnancy and the puerperium: *review*, **494**
twins, Social predictors of adult asthma: a co-twin case-control study, **234**
type II bone morphogenic protein receptor (BMPRII), New insights into the pathogenesis and treatment of primary pulmonary hypertension: *review*, **888**

ultrafine particles, Ultrafine particles in alveolar macrophages from normal children, **932**
United Arab Emirates, X-linked dyskeratosis congenita: restrictive pulmonary disease and a novel mutation, **891**

varicella pneumonia, Lung function tests and risk factors for pneumonia in adults with chickenpox, **796**
venovenous haemofiltration, Continuous venovenous haemofiltration for the treatment of theophylline toxicity, **242**
ventilation, Vibration during high frequency ventilation in neonates: *letter*, **817**
ventilator induced lung injury, Ventilator induced lung injury and infection in the critically ill, **ii50 (suppl II)**
vibration, Vibration during high frequency ventilation in neonates: *letter*, **817**
vitamins, Why don't we give chest patients dietary advice?, **ii15 (suppl II)**

wasting, Wasting as an independent predictor of mortality in patients with cystic fibrosis, **746**
weaning, Respiratory intensive care units in Italy: a national census and prospective cohort study, **373**
Wegener's granulomatosis, CD28 negative T cells are enriched in granulomatous lesions of the respiratory tract in Wegener's granulomatosis, **751**
wheeze, Obesity is a risk for asthma and wheeze but not airway hyperresponsiveness, **4**
wheezing, Airway function at one year: association with premorbid airway function, wheezing, and maternal smoking, **680**
Asthma and breast feeding: *letter*, **896**
Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood, **192**
Prenatal risk factors of wheezing at the age of four years in Tanzania, **290**
Prenatal risk factors of wheezing at the age of four years in Tanzania: *letter*, **897**
Prevalence of asthma among schoolchildren in Patras, Greece: three surveys over 20 years, **569**
wine, Role of sulfite additives in wine induced asthma: single dose and cumulative dose studies, **763**

Year in Review, Introduction , **ii1 (suppl II)**